

# DATAMATION <sup>59</sup>

July/August

page 6 INTERNATIONAL CONFERENCE ON INFORMATION PROCESSING

page 24 IS IT OVERHAUL OR TRADE-IN TIME?


page 48 ALL ABOUT PAPER TAPE

"PERHAPS NO GROUP ATTENDING ANY CONFERENCE EVER SO BOLDLY  
FACED SO MANY CHALLENGING PROBLEMS WITH SO GREAT A CHANCE  
OF SUCCESS AND WITH (SUCH) A POTENTIAL INFLUENCE ON SOCIETY  
AS A WHOLE AS DO MEMBERS OF THIS CONFERENCE" — H. AIKEN.

ICIP

T2a  
216


STANDARD OIL CO. (IND.)



## MEMORY CORE



economical • reliable • fast • Telemeter Magnetics Modular Memory Systems are designed and manufactured for absolute dependability



memory stack for  
a 20-microsecond system  
2048 words of 22 bits each

Because **TELEMETER MAGNETICS** manufactures the memory system **complete** from core production through array wiring to finished units... and because **TELEMETER MAGNETICS** tests each phase of production thoroughly... you can be that much surer when you specify memory systems designed and engineered by **TMI**.

Modular design permits production of custom memory systems to satisfy practically any desired configuration. Units of from 100 to 1,000,000 bits are common... memories can be supplied incorporating several million bits. In addition, **TMI** offers you a selection of memory units with cycle times of 24 microseconds, 6 to 8 microseconds, and 3 microseconds.

Electronic circuits in **TELEMETER MAGNETICS** memory systems employ solid state elements throughout... transistors, diodes, and ferrite cores. Amplifiers, registers, drivers, and logic are on plug-in cards for compactness and maintenance ease.

*write for specifications and complete information.*

**Manufacturers of ferrite cores • core arrays • buffers • memories**

Circle 1 on Reader Service Card.

### IMPORTANT JOB OPPORTUNITIES

Expansion to handle our increasing business activity plus research and development in new areas have created openings for qualified computer engineers. Investigate the wonderful opportunities offered by **TMI** in Southern California.



**BUSINESS REPLY MAIL**

No Postage Stamp Necessary If Mailed in the United States

POSTAGE WILL BE PAID BY

**Reader Information Department**

**DATAMATION**


**141 E. 44th St.**

**New York 17, New York**

**FIRST CLASS**

**Permit No. 10194**

**New York, N.Y.**



# DATA<sup>®</sup>MATION

READER SERVICE CARD JULY/AUGUST 1959  
NOT GOOD AFTER OCTOBER 1, 1959

(Please print plainly or type. Show full company name.)

Name \_\_\_\_\_

Title \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

☐ I would like to be added to your list to receive DATA<sup>®</sup>MATION

☐ CHANGE MY ADDRESS

(Show PRESENT connection ABOVE; list FORMER HERE)

Company \_\_\_\_\_

City & State \_\_\_\_\_

## FOR MORE INFORMATION, ADVERTISEMENTS, EDITORIAL ITEMS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21  
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42  
43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63  
100 101 102 103 104 105 106 107 108 109 110 111 112 113 114  
115 116 117 118 119 120 121 122 123 124 125 126 127 128 129  
130 131 132 133 134 135 136 137 138 139 140 141 142 143 144  
145 146 147 148 149 150 151 152 153 154 155 156 157 158 159  
200 201 202 203 204 205 206 207 208 209 210 211 212 213 214  
215 216 217 218 219 220 221 222 223 224 225 226 227 228 229  
230 231 232 233 234 235 236 237 238 239 240 241 242 243 244  
245 246 247 248 249 250 251 252 253 254 255 256 257 258 259  
260 261 262 263 264 265 266 267 268 269 270 271 272 273 274  
275 276 277 278 279 280 281 282 283 284 285 286 287 288 289  
290 291 292 293 294 295 296 297 298 299 300 301 302 303 304

For information on employment ads fill in below:

Name \_\_\_\_\_ 70 75 80 85


Home address \_\_\_\_\_ 71 76 81 86

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_ 72 77 82 87

73 78 83 88

74 79 84 89

*new! from  
benson-lehner...  
direct display  
from  
magnetic tape!*



Now you can plot maps, charts and graphs directly from digital magnetic tape by using Benson-Lehner's new transistorized converter. Adaptable to any computer magnetic tape, it eliminates the need for conversion to punched cards and will more than double the speed of the Benson-Lehner ELECTROPLOTTER you already own! By converting digital tape data to an analog voltage, it provides a compatible input for many automatic graph plotters and X-Y recorders. Write now for information or to have an applications engineer help establish your exact requirements.




**benson-lehner** Corporation

1860 Franklin Street • Santa Monica, California  
OFFICES: LOS ANGELES; WASHINGTON, D.C.; DAYTON, OHIO  
Service Center in 28 cities throughout the world.

Circle 2 on Reader Service Card.



friend or foe?



**The way to know** — An ominous shadow over ocean or wasteland... an unidentified "blip" on a radar scope! A challenge from an airborne AN/APX-7 interrogating unit spurts into the ether. In microseconds a reply identifies the potential marauder as friendly. The absence of such a reply alerts the protective and retaliatory might of the nation.

**ENGINEERING BEYOND THE EXPECTED**  
Packard Bell's reputation as a leading designer and foremost producer of IFF (identification, friend or foe) equipment is indicated by the fact that both the AN/APX-7 and the AN/APX-6, which returns the reply, are products of our Technical Products Division. Advanced development, company-sponsored, has recently produced miniaturized IFF modules which operate up to 200°C.



**PACKARD BELL ELECTRONICS**

Technical Products Division

12333 W. Olympic Blvd.  
Los Angeles 64, Calif. • BR. 2-2171

Circle 3 on Reader Service Card.

C '59 PB

## from the editor . . .

A headline writer might title this piece, "Who's on Second, Is Bull on Third?" He would, of course, be heading a story concerning the developing controversy in the Computer League Standings.

IBM has been, and should continue to be in the foreseeable future, THE first place club. But as to who is the second largest computer manufacturer in the world . . .

For years, everyone just assumed it was Remington Rand. Then, about a year ago, Burroughs Corp. laid claim to the No. 2 spot.

What was a neat two-way American argument turned into an international situation this year when not one but two British firms decided they liked the sound of "second." International Computers and Tabulators said they were just behind IBM as did Electrical and Musical Industries.

A slightly more modest Bull Machine Co. (France) decided to settle for the No. 3 position. They so stated in a world-wide news release in June. But if Bull is third, which of the four claiming second was also wrong about being No. 3. And who is in slots 4, 5 and 6.

Even if this debate could be settled, all of the firms concerned, including IBM, are probably mistaken in their claims. Surely, the world's largest computer manufacturer is in Russia.

If three of your 700-series computers and 7,000 reels of tape (the correct figure) burned up one day, would you be inconvenienced?

Certainly a lot of interest was generated, along with the heat, from the blaze in Air Force Colonel Marshall Gray's statistical services data processing facility in the Pentagon on July 2. A 704, a 705 and a 709 melted down and all those reels of tape went up.

The cause? Col. Gray: "Faulty wiring in the tape vault (our first estimate)." The cure? "Fireproof the tape vault." Three machines in one room again? "A must. Space limited." How are you surviving? "IBM moved in a 705 and a 709 within two weeks. Lots of 704 time available from other installations. In fact, more time available now than we ever had but this is a tough way of getting it." What about the info on the tape? "We should be able to reconstruct over 95% of the material." When will you be in operation again? "In 30 days."

Moral for the industry: Checked your extinguishers lately?

**DATAMATION** is published bi-monthly on or about the first day of every even-numbered month by F. D. Thompson Publications, Inc., Frank D. Thompson, president. Executive Circulation and Advertising offices, 141 East 44th St., New York 17, N. Y. (Murray Hill 7-5180). Editorial offices, 10373 West Pico Blvd., Los Angeles 64, Calif. (BRadshaw 2-0817). Published and accepted as controlled circulation publication at Chicago, Illinois. Copyright 1958, F. D. Thompson Publications, Inc.

## HIGH SPEED alphanumeric PRINTER with integrated storage and programming electronics

prints  
up to  
**48,000**  
digits per minute

adaptable  
to all  
digital data sources

**SOLID STATE DESIGN**  
**MODEL 3260**

A POTTER EXCLUSIVE  
Stellite Type Fonts To Order.

## Check these features...

### OPERATING SPEEDS

4 BIT DATA @ 20 lines/sec.  
6 BIT DATA @ 10 lines/sec.  
PAPER FEED TIME.....15 Ms  
SERIAL LOADING RATE 20 kcs

### RELIABILITY

Solid state storage, transistorized hammer drive and paper feed . . . troublesome contacts and wiper arms eliminated by reluctance pickup. Digital logic throughout.

### CUSTOM DESIGNS

Designs to meet MIL or Commercial Specs.

### COMPATIBILITY

4 or 6 bit input data in parallel or serial-parallel form and in any coding system.

### FLEXIBILITY

Self-synchronized or random (slaved) operating modes  
Tailored horizontal and/or vertical formats  
Modular construction permits wide variation of characteristics  
Accessible input/output command functions for maximum utility

**Potter**

**POTTER INSTRUMENT COMPANY, INC.**

Sunnyside Boulevard, Plainview, N. Y.



Overbrook 1-3200

The mark of  
Engineering Quality

Potter has career opportunities for qualified engineers who like a challenge, and the freedom to meet it.

Circle 4 on Reader Service Card.

# S-C 5200 CLOSE TOLERANCE PRINTING ON PRE-PRINTED FORMS



Newest of the S-C 5000 Series High-Speed Electronic Printers, S-C 5200 Registration Printers are specially designed for commercial applications requiring close tolerance registration of computer data on pre-printed forms. Printing up to 5,000 lines per minute — five to ten times faster than electro-mechanical printers — S-C 5200 Registration Printers provide unequalled efficiency and economy in large-volume processing of invoices, statements, premium notices and inventory records.

Send for complete information concerning S-C 5200 Registration Printers. Ask for Bulletin 7-D Write today: Stromberg-Carlson — San Diego, 1895 Hancock Street, San Diego 12, California.

**GENERAL DYNAMICS**  
STROMBERG-CARLSON DIVISION

Circle 5 on Reader Service Card.



## 59

*volume 5, number*

4

**MARTHA KNOWLES** *Circulation Mgr.*

**E. J. GUERIN**  
*European Manager*  
Box 824  
Stockholm 1, Sweden

In the United States, Canada or overseas.

**DATAMATION** will accept and consider articles dealing with small, medium and large electronic data processing systems; articles covering developments, applications, components, sub-systems and systems; and other general articles of interest to those in the data processing industry. Material submitted should be accompanied by pictures and illustrations when possible. Unsolicited manuscripts to be returned to writer should include return postage but editor assumes no responsibility for their safety or return (although all reasonable care will be taken).

# ICIP

*Top—This is a general view of the ICIP opening session which was held in Paris' Sorbonne University amphitheater.*

*Center—ICIP delegates attended sessions in the new UNESCO buildings. Pictured is the plenary session auditorium.*

*Lower left—One of the symposia is in session in another of the modern rooms. Note individual desks for spectators.*

*Lower right—This translation booth in full operation offered, simultaneously, Russian, French, Spanish and English translations of conference papers and addresses.*



*Editorial and pictorial coverage of the International Conference on Information Processing, as represented on these pages, was provided by DATAMATION's European Editor, Etienne J. Guerin (pictured in ICIP pressroom).*




In looking back on the first International Conference on Information Processing (Paris, June 15-20), the most significant feature seems to be that it was held. "Finally held" might better express the feeling of many conference attendees who have long recognized the need for formal international cooperation in this ever-broadening field.

The United Nations Education and Scientific Organization lent its name and brilliant organizational techniques to this first gathering of nearly 1,800 data processing delegates from 37 countries and 13 international organizations. It is an understatement to say that UNESCO assistance insured the conference's success from the start. The conference site and facilities provided in the world organization's new buildings were, in that order, beautiful and excellent. One feature most appreciated was the simultaneous translation of papers and addresses to delegates made possible by the staffing of translation booths overlooking the main auditorium.

What seems to be a persistent computer conference complaint was heard at this gathering — technical papers offered nothing new or revealing. But this flaw was easily overshadowed by the many ICIP accomplishments.

Perhaps the most important result of the meeting was the creation, on June 18, of the International Federation of Information Processing Societies. (See page 8.)

Another striking feature of the conference was one that seems to be a persistent computer conference advantage. Major contributors to the computer field from all over the world re-established old friendships and made new friends at a rapid rate. The exchange of new ideas and new information privately probably exceeded that which took place at formal presentations.



Official inauguration of the ICIP was held in the amphitheatre of the Paris Sorbonne University, a short distance from the statue of Pascal, an originator of calculus.

Welcoming the participants, UNESCO acting director general, Rene Maheu, stressed the practical importance of the ICIP by declaring:

"It is impossible today to imagine a large plant, a large government office, or a large research laboratory without a computation service in which a few of these machines replace a large number of specialized (personnel). One cannot even say that these machines take the place of men because in fact they enable the performance of operations which would be practically impossible (without computers) because of the number of man hours they would require. Thus, man's intellectual power has been increased in an extraordinary manner by placing at his disposal inexhaustible memories and automatic calculation organs, capable of ultra-rapid consultation which can perform in a few seconds what once required weeks to accomplish."


The audience then heard an address by Professor Howard H. Aiken of Harvard University, who traced the history of the electronic computer back to its early days, twelve years ago, when scientists were trying to construct any kind of a computer which would work while being given problems to solve on this computer posed by other branches of science. "Progress has been great and it will continue," he stated, "as long as faster machines of smaller bulk are required."

Andre Danjon, director of the Paris Observatory and president of the French Computing Association commented that the ambitious program of the IGY would have been "pure madness if we had not been certain of being able to analyze very rapidly all the data gathered from the entire surface of the earth."

Such a gathering as the first ICIP was badly needed to take stock of world-wide knowledge in the field of automatic information handling. If there was ever any doubt, this conference demonstrated that the science of computing has come of global age. ICIP participants can be proud of having been part of this epoch-making conference. Others will undoubtedly follow.

*Top—During a taped broadcast recorded by UNESCO for distribution to the UN in New York and 50 networks around the world, issues regarding human values and computers were discussed by a panel composed of (left to right, clockwise) Sami de Piccolto, Italy; Bernard S. Benson, U. S.; Willem van der Poel, Holland; Gilbert W. King, U. S.; and Ritchie Calder.*

*Bottom—Howard H. Aiken, head of the Computation Laboratory at Harvard University receives the only Gold Medal awarded during the conference from Jacques Dursort of the Paris City Council. Medal honored Aiken's work in ICIP planning and his role as honorary chairman.*



#### DATAMATION's tabulation of the ICIP attendance breaks down as follows:

Argentina .....	3	Finland .....	6	Israel .....	8	Sweden .....	87
Australia .....	4	France .....	504	Italy .....	83	Switzerland .....	26
Austria .....	10	West Germany .....	204	Japan .....	16	South Africa .....	3
Belgium .....	35	East Germany .....	11	Mexico .....	3	United Arab Republic .....	1
Brazil .....	2	Ghana .....	1	Netherlands .....	79	United Kingdom .....	165
Bulgaria .....	3	Greece .....	2	Norway .....	5	U.S.A. ....	406
Canada .....	5	Hungary .....	3	Pakistan .....	1	U.S.S.R. ....	38
China .....	2	India .....	3	Poland .....	18	Yugoslavia .....	6
Czechoslovakia .....	6	Indonesia .....	1	Portugal .....	3	Intl. Organizations .....	20
Denmark .....	14	Ireland .....	1	Spain .....	8	<b>TOTAL</b> .....	<b>1,796</b>



# ICIP

IFIPS



*These men will head the provisional bureau of the International Federation of Information Processing Societies until IFIPS charter has been ratified by member countries.*

*Left—Yuri Iakovicovich Bazilevsky, Russia, vice-chairman.*

*Center—Isaac L. Auerbach, U. S., chairman.*

*Right—Adrian van Wijngaarden, Netherlands, vice-chairman.*

In sponsoring the ICIP, UNESCO acted to assist those persons and groups interested in information processing in establishing closer cooperation. On June 18, at the Paris conference, this cooperative spirit resulted in formation of the International Federation of Information Processing Societies, IFIPS. This body was established to sponsor future international conferences on information processing and to coordinate a world-wide exchange of information in the field. IFIPS will also establish international committees to undertake special tasks falling within the spheres of action of national member societies.

The Provisional Bureau, acting on behalf of IFIPS until the first quarter of 1960 was also formed until actual ratification will have been confirmed by the various countries. Representatives who decided upon the formation of IFIPS were highly placed individuals in their own countries and in the societies with which they are affiliated. In this capacity they were acting as private individuals until they can report back to their respective countries with a proposal for ratification of IFIPS statutes.

Sorbonne University Professor, Pierre Auger, Secretary General of the ICIP, heartily endorsed formation of IFIPS with this statement: "It is an absolute necessity that there be an international body to serve the needs of the science of information processing. There are already similar international organizations serving such sciences as geodesy, astronautics, radio, medicine, astronomy, mathematics, chemistry and physics. UNESCO has agreements for providing consultative services and cooperation to the international, non-governmental organizations representing these other sciences, helping them to widely express the views of their members and also receiving from them expert information, advice and technical operation.

"In sponsoring this current ICIP, UNESCO accepted responsibility only for convening the first international meeting . . . We had expected, and correctly so, that such a meeting would act as the catalyst for the formation of an international federation. We look forward to the possibility of an agreement, similar to the cooperative agreements with other international bodies representing other sciences,

with this new IFIPS, which already appears to represent preeminent national organizations for this . . . science."

Chairman of the provisional bureau for IFIPS is Isaac L. Auerbach, representing the U. S. National Joint Computer Committee. He was elected unanimously by the international group until some time in 1960 when the Federation will hold its first meeting. Vice Chairmen will be Professor Yuri Iakovicovich Bazilevsky, subject to the agreement of the Academy of Sciences of the USSR, and Professor Adrian van Wijngaarden of the Mathematical Center, Amsterdam, representing the Dutch Computer Society. Jean Mussard, secretary of the ICIP, will be acting secretary of the Federation.

The next ICIP and associated technical exhibit will most likely be held in 1963 and will be sponsored by IFIPS. Each country represented in the provisional bureau — 18 countries in all — have been asked to propose a site for such a meeting.

At the moment, all activities will be coordinated by Auerbach (his address — Auerbach Electronics Corp., 109 N. Essex Ave., Philadelphia, Penna.) and through Jean Mussard (UNESCO, Palace Fontenoy, Paris, France) until the IFIPS seat is established in Brussels, next year.

*Days of intensive effort were necessary before the IFIPS became a reality. One of the working sessions is pictured in full swing.*



From June 13 to June 23, The International Exhibition of Digital Processing Units, which was known by the shorter name of AUTO MATH 59, attracted 10,000 spectators having a passing or lasting interest in information processing equipment.

About 1,500 ICIP participants toured the exhibit area — many of them several times. Displaying equipment in two halls (10,000 sq. ft) were 29 exhibitors from eight countries. It was the first time that data processing units from the Western Hemisphere, Europe and the Far East were exhibited together. Equipment from France, U.S.A., West Germany, Great Britain, Sweden, Italy, Belgium and Japan was shown.

One of the most talked about AUTO MATH features was the large display of Japanese equipment, much of which was seen for the first time in the West. Key Far Eastern personalities in the computer field claimed that Japan would soon be able to manufacture a considerable amount of computer equipment at stiffly competitive prices. They point out that their first market is a large one — the many countries in the Middle and Far East which have not yet been exposed to information processing.

In speaking of the trend toward the emergence of Japan as a major factor in computer production, the following points may be noted. A number of their technicians have been and are being educated in the West, and are returning home full of ideas. They are limited only by the size of the budget available to them. Prices will certainly be a key feature in the attractiveness of Japanese equipment. Speed might be disregarded to a certain extent but, of course, will not be completely overlooked. Some Japanese equipment is attempting to penetrate the U.S. market (see New Products) and in fact a few components used in U.S. equipment have been bought in Japan. But it will probably be some time before a real effort is made by the Japanese to invade Western markets.




A discussion of equipment exhibited at AUTO MATH by many of the countries mentioned above will be featured in the next issue of DATAMATION.

*Top*—Exhibited at AUTO MATH 59 was this HIPAC 101, manufactured by Hitachi Ltd. of Tokyo. HIPAC stands for Hitachi Parametron Automatic Computer. It is a binary, fixed point machine.

*Center*—This Belgian-made endless loop magnetic tape storage was also on exhibit in Paris.

*Lower right*—A binary, serial computer, the Stantec Zebra, was shown at AUTO MATH. It is made by Standard Telephones and Cables Ltd., an IT&T affiliate in England.

*Lower left*—On display was this mock-up of a Facit EDB installation using ECM-64 carousel memories (right).





Left to right, Ahmed Mandzic, Tihomir Aleksic, and Jovan Petric. All are of the Institute of Nuclear Sciences "Boris Kidric," Belgrade, Yugoslavia.



Left, Dr. Alwin Walther, 61, has been teaching for 31 years at the Darmstadt Technical University, West Germany, where he started the famous Institute for Practical Mathematics. Right, L. Biermann of the Max Planck Institute of Physics, Munich, West Germany.



Christofer Strachey (left), National Research Development Corp., London, England, and Maurice V. Wilkes (right), University Math Lab., Cambridge, England.



Left, M. Lehman (Israel) of the Scientific Dept., Ministry of Defense, Tel Aviv, Israel. Right, Sorbonne University Professor, Pierre Auger, from France, acting as special advisor for ICIP and Unesco.



Left to right, Dr. Heido Yamashita (Japan), 70, who has been teaching electrical engineering at Tokyo University for 40 years; Prof. Howard H. Aiken (USA), Computation Laboratory, Harvard University; Dr. Hiroshi Wada, (Japan) Chief of Electronics Div., Electrotechnical Laboratory, Ministry of International Trade and Industry. Drs. Yamashita, and Wada, are pioneers in Japanese computers.



Left to right, Nikolai Birukov, Institute of Automatics and Telemechanics, Moscow; Anatoli Alexeevitch Dorodnitsyn, Chief of the Computing Center, Academy of Sciences, Moscow; Paul Tikhonov, Academy of Sciences, Moscow, USSR.



Jean Kuntzmann (left) of the Fourier Institute, Grenoble, France, and Manuel Sadosky (Argentina) of the Faculty of Sciences, Buenos Aires.



Left to right, Philip Rabinowitz (Israel), Chief Programmer, Weizmann Institute of Science in Rehovot, who will visit the US at the invitation of the National Bureau of Standards; Zwi Riesel, (Israel) Chief Engineer, Weizmann Institute; and Gordon D. Goldstein, (USA) Office of Naval Research in Washington and editor of DIGITAL COMPUTING NEWSLETTER.



Left, Motinori Goto of the Electrotechnical Laboratory, Tokyo, Japan—an ICIP scientific consultant, and right, Eiichi Goto of Tokyo, one of the parametron inventors.



Left, Alston S. Householder (U.S.A.) of Oak Ridge National Laboratory, and Philippe Dreyfuss (France), Bull Machine Company.



Left to right, US panellists, Edward Cannon, National Bureau of Standards, Washington; Mrs. Ida Rhodes also of NBS; an unidentified participant; and Anthony G. Oettinger of Harvard University, Cambridge, Mass.



# data from a wind tunnel



*F-106 model in Convair's supersonic wind tunnel at San Diego, California.*

MicroSADIC... Consolidated's new all solid-state data processing system... is now in action sampling, digitizing, and recording at the maximum speed of computer input. In one high-speed wind tunnel, 25 force mode channels and associated block gaps are recorded by this integrated system in less than 20 milliseconds. In the pressure mode sampling of all 125 data channels requires only 0.8 seconds. These are just some of the capabilities of this flexible automatic system... a system that can also be custom-tailored to rocket test, thermostructure, or telemetry data reduction. Full information is in Bulletin CEC 3020-X2.

## CONSOLIDATED SYSTEMS


*1500 S. Shamrock, Monrovia, Calif.*




## CORPORATION

A SUBSIDIARY OF CONSOLIDATED ELECTRODYNAMICS\*

Complete from transducers through digital magnetic tape, the system acquires and processes data directly compatible with entry into either the IBM 650 or 704 computer. Automatic plotting of the computed data is also provided.



Circle 6 on Reader Service Card.



TR-10 with EAI 1100 E XY Plotter as read-out.

## THE *FIRST* ALL TRANSISTORIZED ANALOG COMPUTER

— basic model less than \$4000.

### **PACE TR-10 Eliminates Drudgery— Gives New Insight Into Engineering Problems**

This compact unit, 15" x 16" by 24" high, is powered by 115 volts AC and can provide day-in day-out instant solution of your most vexing engineering problems. Even if you have never seen a computer before, you can learn to operate the TR-10 as easily as you learned to use a slide rule.

Simply turn a dial to feed in design parameters, and the computer provides an instant by instant, dynamic picture of the effect of each change. You can study the inter-related effects of heat, pressure, flow, vibration, torque or any variable, and visually compare one with the other. Engineering data comes alive — insight into how new designs will work is obtained easier, faster.

Because of its minimum size and low price, the TR-10 can become your own personal analog computer. You gain first-hand experience with the power of analog techniques, and convert more of your time to *creative engineering*. New ideas that were too costly to try before are now practical.

You can design virtually to perfection and have a permanent, visual record of performance before building pilot models or prototypes. As a result, "cut and try" expense is reduced.

The same quality workmanship and design that has made Electronic Associates the world's leading producer of precision general purpose analog computers will be found in this new unit. Accuracy to  $\pm 1$  per cent. Modular construction allows you to select varying quantities of the following computing functions: summation, integration, multiplication or division, function generation, parameter adjustment, logical comparison.

For complete engineering data, write for Bulletin TR-10-G.

**EAI**

**ELECTRONIC ASSOCIATES, INC.**  
Long Branch, New Jersey

Circle 7 on Reader Service Card.

## Do computers really pay?


*47 users in the civil engineering field  
alone, are proving that the Bendix G-15  
more than pays its way.*

The repeated computations encountered by civil engineers in the design of highways, bridges, dams and other public works, are tedious at best. With electronic computation the engineers are relieved of such uncreative work because the computer performs repetitive arithmetic automatically at high speed.

In time savings alone, the Bendix G-15 is a profitable tool. But add to that the value of the extra productive hours available to each engineer and the fact that the computer eliminates compromise solutions by finding the *best* answer through many "trial and error" solutions at tremendous speed — you can begin to see the important hidden profits of electronic computing.

Many problems are being solved today on the Bendix G-15 that have never been solved before, because of the many man-years of math that manual methods would require. Profits here are so great that it is difficult to even measure them. Then there is the increased accuracy of electronic computing, with the resulting reduction of checking time.

The benefits are so many and varied that it is difficult to express them in dollars and cents. But consider the proof that 47 Bendix G-15s are being used in the civil engineering field alone. And in other fields — electronics, optics, tools, missiles, navigation, illumination, and even animal husbandry, the G-15 is making itself known as the computer that pays big profits in many ways. Full details are available on request.



DIVISION OF  
BENDIX  
AVIATION  
CORPORATION



### PARTIAL LIST OF CIVIL ENGINEERING USERS

Alfred Benesch and Associates  
Barber-Colman Company  
Bonneville Power Administration  
Bucyrus-Erie Company  
Butler Manufacturing Company  
Clark, Daily and Dietz  
Consoer, Townsend and Associates  
Cook County Highway Department  
Crawford, Murphy & Tilly  
De Leuw Cather and Company  
Edwards and Kelcey, Engineers & Consultants  
Ellerbe and Company  
Emmet J. McDonald Associates  
Harley, Ellington & Day, Inc.  
Highway Research Board, AASHO, Road Test  
H. W. Lochner, Incorporated  
Homer L. Chastain & Associates  
Hurst-Rosche, Incorporated  
Illinois Division of Highways  
J. E. Greiner Company  
J. Stephen Watkins, Consulting Engineers  
Jenkins, Merchant & Nankivil  
John F. Meissner Engineers, Incorporated  
Lockwood, Kessler & Bartlett, Inc.  
Michigan State Highway Department  
Palmer and Baker Engineers, Inc.  
Parsons, Brinckerhoff, Hall and Macdonald  
Portland Cement Association  
Reynolds, Smith & Hills  
Richardson, Gordon and Associates  
Rochester and Goodell Engineers, Inc.  
Stanley Engineering Company  
Tudor Engineering Company  
U. S. Army Corps of Engineers  
Vogt, Ivers, Seaman Associates  
Warren & Van Praag, Incorporated  
Wilson and Company, Engineers & Architects  
Wyoming Department of Highways

DEPT. E-9a, LOS ANGELES 45, CALIFORNIA

Circle 8 on Reader Service Card.





## AUTOMATIC PROGRAMMING IN THE SOVIET UNION

by **A. P. ERSHOV**

*Chief, Theoretical Programming Dept.  
Computing Center, Academy of Sciences of the USSR*

as related to **ETIENNE J. GUERIN**

*DATAMATION'S European Editor*

Automatic programming can be defined as the use of a computer to perform automatically any part of the programming job. Early developments in this field in the USSR took place in 1954. And the greatest influence in programming methods can be attributed to Professor A. A. Ljapunov who in the years 1952-53 described the OPERATOR PROGRAMMING METHOD in his series of lectures "Logical Schemes of Programs" at Moscow University.

The main features of the operator method are that the program is considered as a complex operator acting with initial data, and consisting of elementary operators of various types. The main types of elementary operators acting with initial data are ARITHMETICAL OPERATORS performing direct, data transformation, and logical operators determining the next sequencing of computations. The conception that the operator should depend on some integer parameter—for instance the address of the indexed number depending on the values of these indexes—was also very important. Considered, too, were CONTROL OPERATORS not acting with initial data but dealing with the program itself. To be mentioned were the READDRESSING OPERATORS, (1) changing the dependent parameter addresses while the parameter value is changing, and (2) the RESTORATION OPERATOR restoring the dependent parameter addresses to their initial condition according to the initial value of the parameter. The detailed computing plan's record written as the sequence of the operators of various types is called the **operator scheme of program** (or **logical scheme of program**).

Ljapunov's operator method was very important in the development of automatic programming because:

- (1) For the first time the program components—here called elementary operators—were formally classified according to their functions regardless of the problem programmed. In this way the language of the logical scheme program could easily be formalized, and it was made universal for writing problems to be solved.
- (2) The language of logical schemes of programs was easy to algebraize, which fact was very important for the direct input of the program's logical scheme into the computer.
- (3) The logical scheme of program as an intermediate result of the programmer's work successfully separates the programming process. The composition of the logical scheme corresponds to the "intellectual" work of the programmer while the laborious mechanical work becomes a transition from the logical scheme to the object program. Accordingly the stage of the programming process which is the easiest to automatize, was separated.
- (4) Separating the whole problem as a sequence of separate operators permits the programmer to divide the programming process into pro-

gramming of separate elementary operators, which makes the coding easier.

V. M. Kurochkin composed in the summer of 1954 in the Computing Center a program for BESM, permitting symbolic programming.

L. M. Korolev composed the first version of the program for BESM which carried out the programming of arithmetical formulas.

G. S. Bagrinovskaja from the Mathematical Institute described a project of the program for programming of readdressing operators.

E. Z. Lubimsky and S. S. Kaminin in summer 1954 constructed the programming program for the STRELA computer (designated as PP-1), performing the programming of readdressing, restoring and logical operators.

Such work was only experimental but was a necessary step toward the design of large programming programs.

### the first programming programs

During Professor A. A. Ljapunov's seminar in October 1954, E. Z. Lubimsky and S. S. Kaminin described the first project of the programming program (designated as PP-2) which fully automatizes the transition from the logical scheme to the object program.

Source information for this programming program consists of (1) the logical scheme of the program and (2) the table of storage assignment. The logical scheme may include arithmetical and logical operators, readdressing and restoring operators and so-called non-standard operators presenting parts of the object program written in commands with symbolic addresses.

### strele-3 programming program

The main result of the Computing Center's work in the field of automatic programming is the present-day programming program for the STRELA-3 computer which is installed in the Center. Work on the programming program for the STRELA-3 (designated as PPS) started in the fall of 1956. It was completed in the fall of 1957 and was performed by 6 staff workers of the theoretical programming department.

When requirements for the source information were developed, the following aims were sought: (1) The representation of the source information has to be close to the mathematical formulation of the problem. (2) The size of auxiliary and technical work not connected with the mathematical formulation has to be reduced to a minimum. (3) The source information must give full information about the structure of the object program. (4) Source information must be maximally compactable and presentable.

Source information prepared by the programmer consists of 5 parts. These are the program's scheme (the main part of information), the carried away operators, information about variables, information about storage blocks, and blocks. Some source information parts may be absent.

A few comments are in order concerning terminology used here. A **variable** is a letter symbol contained in the source information, which may denote some mathematical variable or constant, or in general, any machine word. A **storage block** means any group of locations which has to be placed in the storage one after another.



Regarding information about variables, all the variables requiring some additional information are written down. Such additional information may be a constant, if the variable represents a constant. Four types of constants may exist, such as decimal floating-point constants, binary floating point constants, commands with symbolic addresses and commands with real addresses. This additional information may also be an address, in case the location of the variable in storage is to be prescribed.

Blocks include any data placed into blocks and introduced into the storage by the object itself.

### strela-3 program's scheme

In the program's scheme all operators of the object program are written down one after another and the order of placing the operators in the scheme corresponds to their place in the object program. The scheme may include operators of the following types:

Name of the operator	Symbol denoting the operator's type
1. Arithmetical	A
2. Logical	L
3. Restoring	V
4. Non-standard	H
5. Readdressing	P
6. Double-counting	DC

As a rule every operator is represented by a letter denoting the operator's type after which in parenthesis, information about the operator follows. The letter symbol and parenthesis may be omitted only for the arithmetical operators.

As part of the program's scheme it may be necessary to perform the cycle repetition of certain sequence of operators. For this purpose such a sequence is inserted into a loop. Besides this, special symbols may appear in the source information, denoting the command transmitting information between computer's parts, and transfers. Every operator may possess a number which is rendered by a letter denoting the operator's type as a subscript. Every operator can be carried away from the program's scheme into the second part of the source information. All the non-standard operators and some complicated arithmetical ones are carried away into the second part. In this case, in place of the operator carried away, a letter denoting its type with the number, is left in the scheme. The main reason that the source information is presentable and obvious is the successful solution of the problem of recording arithmetical formulas and the use of obvious symbolism.

### arithmetical operators

The arithmetical operator fulfills the evaluation aided by the sequence of formulas as in

$$F(x_1, \dots, x_n) \rightarrow y$$

where  $F$  is a superposition of operations from some fixed list of operations and  $x_1, \dots, x_n$  are variables and constants. In particular, this list contains all the operations of STRELA-3.  $y$  denotes the result of evaluating the formula. The constants in formulas are represented either by letters or by numbers. The variables may have any number of letter subscripts. In this case every subscript must be a parameter of some loop.

Here is the list of operations and their abbreviations used by the arithmetical operators:

Name	Symbol
<b>Operations with two arguments</b>	
Addition	+
Subtraction	-
Addition by modulo 2 (digit by digit)	+
Logical addition (digit by digit)	v
Multiplication	x or • (see below)
Logical multiplication (digit by digit)	^
<b>Operations with one argument</b>	
Integer part	E
Fractional part	D
Absolute value	Mod
Sign	sign
Sinus	sin
Cosinus	cos
Arcsinus	arcsin
Arccosinus	arccos
Arctangent	arctg
Exponent	exp
Natural logarithm	ln
Binary to decimal conversion	Dec
Decimal to binary conversion	Bin
Logical negation (digit by digit)	¬

powers:

$$x^{-1}, x^2, x^3, x^4, x^5, x^6, x^7, x^8, x^9, x^{10} \quad (1 < P \leq 511, 0 < Q < 7)$$

The usual hierarchy of operations used in mathematics is used for the determination of the order of operation fulfillment. There is only one difference between the marked and non-marked multiplication ( $x$  and  $\cdot$ ), which is obvious from the following example in which arguments of the corresponding operations are underlined:

$$\cos 2x^2 + \sin(a+b)(a-b) + \sin(a+b)x(a-b) - \text{Mod } y^{-1} \text{ sign}(x+y) a^2$$

Besides this, the following notation is allowed:  $\sin^m x$ , which denotes  $(\sin x)^m$ .

The Computing Center's experience shows that the only transformations of formulas which are necessary in the preparation of source information are: (1) the omitting of radices and (2) the replacement of division by appropriate powers.

### logical operators

A logical operator performs the verification of 1 of 5 standard logical relations which are:

$$a < b \quad a < b \quad |a| < |b| \quad |a| < |b| \quad a = b$$

where  $a$  and  $b$  are variable or constants.

In the program's scheme, logical operators are represented as:

$$L(a \sim b \begin{matrix} N_1 \\ N_2 \end{matrix})$$

where  $N_1$  and  $N_2$  are operators' numbers  $a$   $b$  is one of the 5 logical relations. Here is how the operator acts. If the relation  $a < b$  is true, then we transfer to operator  $N_1$ , otherwise we transfer to operator  $N_2$ . If one of the operators' numbers is omitted, it means that we transfer to the next operator in sequence.

### non-standard operators

A non-standard operator is any part of the object pro-

gram, written in commands with symbolic addresses. As said earlier the non-standard operator is always written down in the second part of the source information (carried-away operators). In the program's scheme the non-standard operator is represented by the letter H with the number of the operator. In the second part a "head" is placed before the non-standard operators, in the form:

N	n	50
---	---	----

where N is the non-standard operator's number, n is a number of words the operator contains.

### loops in the strela-3 pp

A loop performs the repeated fulfillment of some sequence of operators for all given values of the parameter of the loop. In the program's scheme the loops are represented in such a form:

where { and } are the opening and closing brackets of the loop, A is the sequence of repeated operators. The loop's parameter i and its initial value  $i_H$ , if it is not equal to zero, are placed under the opening bracket:

$$\left\{ \begin{array}{l} A \\ i = i_H \end{array} \right\} \text{ or } \left\{ \begin{array}{l} A \\ i \end{array} \right\} \quad (\text{if } i_H = 0)$$

If the number of repetitions of the loop is determined by the final value of the parameter  $i_H$  then the letter is placed over the opening bracket:

$$\left\{ \begin{array}{l} A \\ i = i_H \end{array} \right\}^k \text{ or } \left\{ \begin{array}{l} A \\ i \end{array} \right\}^k$$

In such a case the loop will be repeated from the value  $i_H$  up to the value  $i_K$  inclusive by the step of the size 1 ( $i_H \leq i_K$ ).  $i_H$  and  $i_K$  are either variables or non-negative integer constants. If  $i_H$  and  $i_K$  are variables, then it is supposed that they are evaluated by the object program before the running of the loop as non-negative integer normalized numbers. It is also possible to set the number of the loop's repetitions by means of one of five logical relations a b.

### readdressing operators

A readdressing operator is recorded in the program's scheme as: P(N, n, h),

where N is an operator's number, n is either a command number for a non-standard operator or a variable, h is either a variable or an integer constant. Here is how the readdressing operator is fulfilled:

If n is a command number for the non-standard operator N, then the readdressing constant h is added to the command.

If n is a variable and h is a constant, then h is added to all the addresses of the variable n in the operator N.

If n is a variable and h is also a variable, then it is supposed that the value of the h needed is evaluated in the third address of the location for h as an integer number.

### restoring operators

A restoring operator is recorded in the program's scheme as: V(N) where N is an operator's number.

If there are some variable commands in the operator N which are transformed by readdressing operators, the restoring operator will transfer the initial values of these variable commands into their places in the operator N.

### double-counting operator

While composing the program with the help of the PPS,

computation control may be prescribed by means of double computations of separate segments of the program. Therefore the double-counting operators' symbols are arranged in the program's scheme. The computer will compute every segment of the program between two such symbols—following one after another—and accumulate all the contents of the internal storage. If the sums are equal, then the whole content of the storage is recorded on the magnetic tape, and the computation is carried on. If control sums are unequal, the computer stops and after a new start, it repeats the computation once more comparing it with the three sums already computed.

The following notation which denotes the transmission of information between the different computer parts is used: A B where A is the symbolic address of the start of the location from which the information is going to be transferred, B is the symbolic address of the start of the location where the transfer is going to be made, and n is a number of words in the information being transferred.

The unconditional transfer is denoted by  $\left[ \begin{array}{l} N \\ N \end{array} \right]$  where N is an operator number to which the transfer will be made.

The conditional transfer is denoted by  $\left[ \begin{array}{l} N_1 \\ N_2 \end{array} \right]$

If the signal for the preceding command is equal to 1, we shall transfer to operator N. Otherwise we shall transfer to operator  $N_2$ . For transfers to subroutines the

following notation is used:  $\left[ \begin{array}{l} N_1 \\ N_2 \end{array} \right]$  which means to fulfill the subroutine beginning with operator  $N_1$  and up to operator  $N_2$  exclusively.

### storage blocks in the pps

This information, at first, shows how many blocks should be in the storage and how long they should be. If necessary, it is possible to point out the position of some blocks in the storage. Such information about every block has the following form:

$$M_k, \lambda \text{ words}, v = \dots$$

where k is the block's number,  $\lambda$  is its length and v is the address of the first location of the block (if given). Then information about the variables associated with this block is written down. If the address of a variable a or  $a_{ij} \dots$  depends on parameters i, j, ..., it is recorded in such a form:

$$a(\text{or } a_{ij} \dots) = H(\text{or } K) + \Delta + h_1 i + h_2 j + \dots$$

where H denotes the start of the block (its first location) and K denotes the end of the block (its last location). Number  $\Delta$  is a "shift" in Russian terminology,  $h_1, h_2 \dots$  are the steps of readdressing according to parameters i, j, ...  $\Delta$  and h may be either integer constants or variables.

If the address of the variable a from the block does not depend on any parameters, then the information about its place in the block is recorded by:  $a = H(\text{or } K) + \Delta$ .

If some variables appear in the program's scheme with different sets of equal numbers of subscripts, then the dependability of the address of the variable on the subscripts is mentioned in the information only once. For example, if the variables  $a_{iak}, a_{k11}, a_{ks1}$  appear in the program's scheme, then in the information about blocks only one row is written down

$$a_{ijk} = H(\text{or } K) + \Delta + h_1 i + h_2 j + h_3 k$$

That is all about source information.

We are now going to describe briefly the structure of PPS, the programming program for the STRELA-3 computer. The PPS as a whole consists of 30 separate blocks recorded on the magnetic tape. Every block is used only

*Your scientists and  
engineers now benefit from  
electronic computation without  
becoming computer specialists!*



## How to get increased research and engineering productivity without increased manpower

**Electronic computation in the right hands.** The lowest-priced complete computer you can buy, the Royal Precision LGP-30 enables both present and new computer users to bring electronic computation to a level where it does the most good. No longer do you need a group of highly-specialized computer men. The compact, mobile LGP-30 plugs into any convenient wall outlet without expensive installation or air-conditioning... puts electronic computation in the hands of your own research and engineering specialists... greatly increases their available creative time and productive output.

**Short break-in time; fast answers.** Although the LGP-30 gives you memory (4096 words) and capacity comparable to that of computers many times its size and cost, it is by far the easiest computer to learn and program. Answers are printed out directly—require no deciphering. Result: because the people qualified in your specific field are given access to the computer, you get an almost immediate increase in productivity. At one LGP-30 installation, for instance, an output of 34 engineers has been attributed to a staff of only four.

**Elimination of tedium; increased quality.** A survey of your research and engineering work would undoubtedly show much of it to be of a routine nature

—the repetitive calculations known to be deadly to the morale of highly-trained personnel. In fact, one research organization estimates that creative thinking and routine calculation are usually found in the ratio of 1 to 9. Using the LGP-30, your engineers can eliminate the tedious 9 parts out of 10... can not only increase output per man but, equally important, improve the quality of the work produced.

**Maximum results; minimum cost.** Successfully employed in well over 200 installations, the LGP-30 is available on either a sale or rental basis... gives you the opportunity to investigate electronic computation without the attendant burdens of high cost and complexity. Backed by 20 years of electronics experience, LGP-30 sales and service are available through Royal McBee offices coast-to-coast. Training is free—as well as membership in an active users organization. A complete library of programs and sub-routines is available.

**Write today for complimentary brochure.** To discover more fully how the LGP-30 can serve your engineers and your organization, call your nearby Royal McBee Data Processing Representative, or write Royal McBee Corporation, Data Processing Division, Port Chester, N. Y. for illustrated brochure. In Canada: 179 Bartley Drive, Toronto 16.

**ROYAL M<sup>c</sup>BEE • data processing division**

Circle 9 on Reader Service Card.



once during the programming program's running. The information transformed is placed in the internal storage. Every block has a length of about 240 locations. A part of the storage—about 130 locations—is intended for some working materials, which the PPS works out and carries over from one block to the other. Thus the length of the simultaneously transformed information may reach up to 1,500 words. The blocks of the PPS change one after another automatically. The PPS punches on punched cards the finished object program and some additional information. Besides this, it is possible if desired to punch intermediate information.

PPS is able to discover automatically many formal mistakes in the source information.

As a conclusion to this section, let us consider an example of preparation of the source information. Suppose we have to integrate a parabolic partial differential equation

$$\frac{\partial z}{\partial t} = 0.75 \sqrt{x(1-x)(t^2 x + z)} \frac{\partial^2 z}{\partial x^2}$$

$$z(x, 0) = 0; z(0, t) = 0; z(1, t) = t$$

from  $t = 0$  to  $t = T$ ,  $M = h^{-1}$  and  $t$  are given ( $h$  is the step by  $x$ ,  $t$  is the step by  $t$ ).

The evaluation formulas are:

$$z_{0,n+1} = 0$$

$$z_{m,n+1} = z_{m,n} + t \cdot 0.75 \sqrt{x(1-x)(t^2 x + z_{m,n})} \frac{z_{m+1,n} - 2z_{m,n} + z_{m-1,n}}{h^2}$$

$$m = 1, 2, \dots, M-1$$

$$z_{M,n+1} = (n+1)T$$

$$n = 0, 1, 2, \dots$$

Let us pick out one block of the storage, containing 1000 numbers for storing all the values of  $z$  for each layer of  $t$ . The new  $z$  shall be placed on the locations of the old ones with delay for one step, because the old values of  $z$  will be needed for the evaluation of the new ones. Each time three points  $z_m$ ,  $z_m$  and  $z_m$  will be used, which correspond to  $z_{m,n}$ ,  $z_{m-1,n}$ ,  $z_{m+1,n}$ .

Here is how the source information appears:

1. The program's scheme\*

$$\rightarrow M \rightarrow T \text{ DC}(5) \left\{ \begin{matrix} M \\ m=0 \end{matrix} \right\} \left\{ \begin{matrix} 0 \rightarrow z_m \\ m=0 \end{matrix} \right\} \left\{ \begin{matrix} n \rightarrow t \\ m=0 \end{matrix} \right\} \left\{ \begin{matrix} L(m=0) \\ N_1 \end{matrix} \right\}$$

$$0 \rightarrow r \left[ \begin{matrix} N_2 \\ N_2 \end{matrix} \right] L_{N_1}(m=M) \left[ \begin{matrix} N_3 \\ N_3 \end{matrix} \right] (n+1) T \rightarrow z_m \left[ \begin{matrix} N_4 \\ N_4 \end{matrix} \right] \left[ \begin{matrix} N_3 \\ N_3 \end{matrix} \right] m M^1 \rightarrow x$$

$$z_m + 0.75(x(1-x)(t^2 x + z_m))^{1/2} (z_{m+1} - 2z_m + z_{m-1}) M^2 \rightarrow r$$

$$\left[ \begin{matrix} N_4 \\ N_4 \end{matrix} \right] s \rightarrow z_m \left[ \begin{matrix} N_2 \\ N_2 \end{matrix} \right] r \rightarrow s \left\{ \begin{matrix} t < T \\ i=1 \end{matrix} \right\} \left\{ \begin{matrix} \text{Dec } Z_i \rightarrow Z_i \\ i=1 \end{matrix} \right\} a \xrightarrow{1000} \text{STOP}$$

Here the logical operators are picking out the cases  $m = 0$  and  $m = M$ , which are evaluated separately. The sign  $\left[ \begin{matrix} N \\ N \end{matrix} \right]$  is used to show the number of the next operator, if the letter does not possess a letter denoting the operator's type.

- Carried away operators are absent.
- Information about variables is absent.
- Information about storage blocks is as follows:

$$M_1, 1000 \text{ words}$$

$$z_m = H + 1 \cdot m$$

$$z_m^- = H - 1 \cdot m$$

$$z_m = H + 1 \cdot m$$

$$a = H.$$

5. Storage blocks are absent.

\*A "FORTRAN-like" expression of this program appears as appendix 1 at the end of the article.

There are a great number of problems in automatic programming, but let us here select two types of problems:

- The problems of the source information and
- The problems of construction of new programming algorithms.

### source information in the pps

This is a general designation for all problems whose solution simplifies the construction of the source information and brings its form closer to the mathematical expression of the problem, making use of all the wealth of modern mathematical symbolism. Natural development in this direction is the expansion of symbolism, acceptable to the source information, by the addition of some widespread mathematical terminology. The latter may include some sorts of mathematical operators, such as summation, the evaluation of multiplication, differential operators, etc., or

some functionals, such as  $\min f(x)$ ,  $\max f(x)$ ,  $\int f(x) dx$  and

so on, some widespread special functions. And at last, we may want to include into the source information not only real scalar numbers but more complicated numbers such as complex numbers, vectors or matrixes and so on.

The method of subschemes (already used in some programming programs) may be used for decoding new symbols, which take place in the source information. The essence of this method is that a special block is added to the programming program which may "understand" new symbols in the source information. For every symbol of that sort, which denotes some mathematical algorithm  $D$ , this block constructs a subscheme which represents the record of the algorithm. This record is the algorithm  $D$  in terms of standard operators (arithmetical, logical and so on). The subscheme constructed substitutes the symbol, denoting the algorithm  $D$ , into the source information. After this, the transformed program's scheme which no longer contains special symbols, is again transformed by the programming method in a general way. Or to say it more briefly, this is the unification of the "programming program" programming method with the compiling program's method. And though the principal possibility of such a unification has been discussed for some time, there is little being done in this direction.

### new programming algorithms


From the broad field of problems of this kind, we shall consider only two, which are probably the most important from a practical point of view. These are (1) The analysis and transformations of the program's schemes and (2) speeding up of the programming program's work.

1. The analysis and transformations of the program's schemes.

The term "analysis of the program's scheme" denotes the construction of algorithms capable of obtaining various information from the programs scheme about the interconnections between the operators forming the scheme.

Up to now, programming programs were constructed in such a way that every operator from the scheme was programmed as much as possible independently from the other ones. For example, the economy of commands during the programming of arithmetical operators is performed only in one operator. In the programming of loops, it requires that all variable commands, depending on the loop's parameter, are to be placed in the scheme between the first operator of the loop and the last one. The independent programming of various operators permits the simplification of programming algorithms but avoids opportunities of improving the constructed program. Here is an example





**for economical film analysis of space-age records**

## THE DILOG 510 FILM RECORD READING SYSTEM

Now you can greatly increase efficiency in film data handling! The Data Instruments' DILOG 510 provides the easiest method to obtain rapid and complete film analysis... *from any kind of film records*. The DILOG 510 accepts 16mm, 35mm, and 70mm film—stop motion, cine-motion, and flow... any kind of data is rapidly and accurately translated from film to digital form. The data may be automatically punched into cards or paper—plotted—typed on an electric typewriter—or any desired combination. Ask for the complete story of film reading equipment: there is a DILOG system to fit your needs. Write, wire, or phone!

*Pioneers in Instrumentation for Data Analysis*



**DATA INSTRUMENTS  
DIVISION OF TELECOMPUTING  
CORPORATION**

12838 Saticoy St., N. Hollywood, Calif., ST 7-8181

Circle 10 on Reader Service Card.

of the improvement of the programming algorithms requiring an analysis of the program's scheme.

Let us suppose that in some arithmetical operators  $A_1, \dots, A_n$  we meet one and the same term  $F(x_1, \dots, x_k)$ . It is obvious that in some cases,  $F(x_1, \dots, x_k)$  may be programmed in one operator only, while in the other operators the term  $F(x_1, \dots, x_k)$  is replaced by a symbol denoting the result of the term's evaluation. This may be done in the event that there is an operator  $A_1$  among  $A_1, \dots, A_n$ , which is always fulfilled before the others and if  $x_1, \dots, x_k$  do not appear in the computation as the results between the work of operator  $A_1$  and  $A_j$  ( $A_j$  is one from  $A_1, \dots, A_n$ ). It is clear that it is impossible to discover the possibility of such a generalized economy of commands without an analysis of the program's scheme.

The problem of analyzing the program's scheme may be formulated in this particular case in a more exact way. To construct an algorithm which for any arbitrarily chosen two operators  $A_1$  and  $A_j$  from the scheme, determines which one of these possibilities take place

- (a)  $A_1$  is always fulfilled before  $A_j$ ;
- (b)  $A_j$  is always fulfilled before  $A_1$ ;
- (c)  $A_1$  and  $A_j$  are not simultaneous, that is, if one is fulfilled the other is not;
- (d)  $A_1$  and  $A_j$  can be fulfilled in any relative order.

The construction of such an algorithm would be very important for programming.

In connection with the inclusion of such notations as the summation term  $\Sigma$  and the multiplication term into the source information, there appears an interesting problem of the program's scheme transformation. Let us consider as an example the problem of evaluating the series

$$u = \sum_{k=0}^n f(k) \text{ with some given accuracy.}$$

It is obvious that if we substituted this notation directly by the subscheme

$$O \rightarrow u \left\{ u + f(k) \rightarrow u \right\}_k^n, \text{ the object program would be very bad.}$$

If we shall compute according to this program, we have to evaluate  $f(k)$  for every new  $k$  anew, and in most cases this would be quite unprofitable. In fact, the direct evaluation of  $f(k)$  is usually reduced to the evaluation of  $f(k)$  by using some recurrent relations.

For instance, the series

$$u = \sum_{k=0}^n \frac{x^k}{n!}$$

is always evaluated according to such a scheme

$$I \rightarrow t, O \rightarrow u \left\{ u + t \rightarrow u, \frac{t \cdot x}{k} \rightarrow t \right\}_{k=1}^n$$

It seems possible to us to solve the following problem. For any arbitrary function  $f(k)$  of an integer argument represented by a combination of the exponent, power and factorial functions, finding an algorithm replacing the close notation  $f(k)$  by the recurrent relations. The realization of such an algorithm in programming program would permit the programmer not to do the preliminary work of finding the recurrent relations but to give this work to the computer. The programmer has only to write down the common number of the series or the multiplication in a close form.

In connection with the programming of loops, the following problem also concerning the transformation of the program's scheme is interesting. In many problems — particularly in the evaluation of tables — the following pre-scription appears:

"Evaluate the table of the values of the function

$$Z = F(p, l, m, n)$$

(where  $p$  is a parameter) for all sets of the values of the integer arguments, for which

$$l_0 < l < l_x, m_0 < m < m_x, n_0 < n < n_x$$

(The number of arguments is of no importance and can be arbitrary).

It is very easy to write the program's scheme in such a form:

$$\left\{ \left\{ \left\{ \begin{array}{l} l_x \\ l=l_0 \end{array} \right\} \left\{ \begin{array}{l} m_x \\ m=m_0 \end{array} \right\} \left\{ \begin{array}{l} n_x \\ n=n_0 \end{array} \right\} F(p, l, m, n) \rightarrow z, \text{punch } z \right\} \right\}$$

But if for instance,  $F(p, l, m, n)$  can be represented in such a way:

$$F(p, l, m, n) = \gamma(l, \psi(m, \xi(\zeta(p)))$$

then the scheme

$$\zeta(p) \rightarrow u \left\{ \begin{array}{l} n_x \\ n=n_0 \end{array} \right\} \xi(n, u) \rightarrow v \left\{ \begin{array}{l} m_x \\ m=m_0 \end{array} \right\} \psi(m, v) \rightarrow w \left\{ \begin{array}{l} l_x \\ l=l_0 \end{array} \right\} \gamma(l, w) \rightarrow z, \text{punch } z \right\}$$

would of course be much more profitable. This is because, according to this scheme, only that part of the function  $F$  is being evaluated in every loop, which is essentially depending on the parameter of this loop. The evaluation of the left part of  $F$  is carried out into the external loops, more seldom repeated. Consequently, the program as a whole works faster.

In this case it is also probably possible to find an algorithm which would perform the transformation of the program's scheme mentioned above.

## 2. Speeding of the programming program's work.

The new programming program acquires more and more opportunities to improve the quality of the object programs by the expansion of the complication of the programming algorithms. But the increased complication and the size of the programming program have their dark side, which becomes an increase of the programming program's running time. When the running of the programming program takes much time, it reduces the benefit of using this programming program — and especially when the computer is unstable. It should therefore be stressed that while constructing new algorithms for the programming program, it is necessary to aspire in every possible way in increasing the speed of the algorithm's work.

## Appendix 1.

READ M, T

Double Count

Do K1 m = 0, M

Zm = 0

t = nT

Do K5 n = 0 to t < T

Do N2 m = 0, M

IF (m) N1, K2, N1

r = 0

Go To N2

IF (m-M) N3, K3, N3

Zm = (n+1)T.

Go To N4

x = m/M

r = Zm + .75 \sqrt{x(1-x)(t^2x + Zm)} (Zm^2 - 2Zm + Zm^2) M^2

N4 Zm = s


N2 s = r

K5 Double Count

Do K6 i = 1, M

Convert Zi to decimal





## **DATAMATION** *in business and science*

### **BURROUGHS TAKES SOLID STATE STAND**

Major computer manufacturers in this country are unanimous in the gradual conversion of their design and production efforts to solid state computers. The one notable exception--Burroughs Corporation. Burroughs' ElectroData Division has made no announcements to date concerning specific plans for a transistorized system.

In answer to direct questions concerning inroads into this area, ElectroData released to DATAMATION the following statement made by James R. Bradburn, vp and general manager of the division.

"Burroughs Corporation's ElectroData Division has elected to take a different approach to entering the solid state computer field.

"When faced with a decision several years ago on the design approach to be taken on their model 220 computer, Burroughs chose to go ahead with vacuum tubes. At the same time they began development of an advanced high speed printer system which is fully solid state.

"Using tubes in the 220 gave Burroughs about a year and one-half head start over other high-performance, medium-priced systems. The first shipment was made in October of 1958. By the time the competing solid state systems begin to be delivered in the spring of next year, nearly fifty 220 systems will have been completed and installed. From a practical business point of view, Burroughs management feels their decision was a wise one.

"Burroughs points out that despite the glamour and very active promotion of the competing solid state machines, the 220 continues to sell well. Since the release of the IBM 7070 in September of last year, Burroughs has received orders for 29 220's, 19 of them during the current year.

"The company attributes this, in part, to the performance of 220's already installed. During a recent eleven-week period the average 220 system up-time was 98.7% and the average system work week was 60 hours. Burroughs claims that the first generation of solid state systems will be hard pressed to surpass that kind of a record."

Burroughs ElectroData still isn't saying when its own "first generation solid state system" will be announced. The Pasadena firm holds off announcement of new equipment until it is ready to produce.

### **IBM WORKS ON COMMERCIAL TRANSLATOR**

IBM has announced a translator for users of commercial data processing systems. This translator will reportedly be to the commercial field what FORTRAN is to the scientific field. According to published reports the translator tape will hold over 100,000 blocks of instructions when in its final form (1961). As new computers are designed, this commercial pro-



gramming language can be easily adapted to them with the use of an intermediary translating program. The program converts new commercial language into machine instructions. IBM is now preparing such programs for several of its more advanced data processing systems, the 705-III, 7070, 709 and the 7090.

AERONUTRONIC  
BECOMES FORD DIVISION

Aeronutronic Systems, Inc., was merged with the Ford Motor Company, effective July 1st. It will operate as Aeronutronic, a division of the company. The merger was approved by both firms' boards of directors. To quote an official company statement, "The merging of Aeronutronic into the Ford Motor Company will permit more effective company support of Aeronutronic programs and thus will facilitate the undertaking of more extensive projects than have been feasible in the past." Translation--Aeronutronic has proved its capability and Ford will now proceed to pour a great deal of money into it's new division.

PHILCO CORP.  
BUILDING TRANSAC CENTER

On June 10th Philco Corporation broke ground for its multi-million dollar Transac computer center, which will be located near Willow Grove, Penna. The plant, with over 200,000 sq. ft. of floor space, will contain national sales offices and research, engineering and manufacturing facilities for producing the Transac S-2000. Occupancy is slated for November of this year.

REMRAND LISTS  
UNIVAC SOLID STATE ORDERS

Firms are ordering Univac Solid State 80's and 90's at a fast clip, according to Remington Rand. The 100 mark in sales has been passed and the company states that two of Detroit's Big Four automobile manufacturers have ordered computers. Among those scheduled to receive machines this summer are National Bank & Trust Co., Greenwich, Conn.; Kansas City Life Ins. Co., Kansas City, Mo.; Economic Labs, St. Paul; N. J. Turnpike Authority, New Brunswick; and Champlin Oil Co., Oklahoma City.

INDIANA STEEL,  
GENERAL CERAMICS TO MERGE

Indiana Steel Products Company and General Ceramics Corporation of Keasbey, N.J., have agreed on basic terms for a merger. The agreement is subject to approval by shareholders of both companies. General Ceramics originated square loop, ferrite memory cores.

RANDOM  
INDUSTRY INFORMATION

A nine-man team of European labor leaders recently toured the Michigan Blue Cross-Blue Shield headquarters to see its Datamatic 1000 installation and hear the story of the organization's switch-over to datamated office procedures. The group is making a detailed study of automation and its impact on employment throughout the United States. Members represent labor organizations in Austria, Belgium, Germany, Holland, Norway and England.

Lester L. Kilpatrick, Ronald D. Cone, Eugene Seid, Robert C. Morton and Eugene W. Beckman have left Autonetics to set up their own company. The group has taken over management of California Computer Products, Incorporated, located in Downey, Calif.


Stockholders of Mid-Century Instrumatic Corp., N.Y.C., have approved a change in corporate name to Computer Systems, Inc.



## AN ASW SYSTEM... DISPLAY/AIRBORNE RECEIVER/SONOBUOYS

Anti-submarine warfare equipment designed, developed and produced by *The Magnavox Company*, in conjunction with the Navy Department, provides patrol aircraft with eyes that see underwater by day and by night. The AN/ASA-16 Display System, together with SONOBUOYS, AN/ARR-26 Receiver systems and other associated equipment provide aircraft with a clear picture of the ocean-depths below them. They are part of the continuing contributions of *The Magnavox Company* in aiding the U.S. Navy to combat the growing submarine menace.

*MAGNAVOX capabilities are in The Fields Of Airborne Radar, ASW, Communications, Navigation Equipments, Fusing and Data Handling . . . your inquiries are invited.*




PRODUCTS  
THAT SEE BY  
THEMSELVES



# Magnavox

GIVES EYES TO NAVY ANTI-SUBMARINE WARFARE UNITS!



COMMUNICATIONS



RADAR



DATA HANDLING



ASW



MISSILES

THE MAGNAVOX CO. • DEPT. 84 • Government and Industrial Division • FORT WAYNE, IND.  
Circle 11 on Reader Service Card.

# IS IT OVERHAUL OR TRADE-IN TIME?

## *perennial professional society question worked over by computer specialists*

*It has been observed that the highlights of computing industry conferences are often the informal conversations which take place in hotel rooms and in conference corridors.*

*In 1958, on the day prior to the Western Joint Computer Conference, a group of people with strong feelings about the value of such conversations met at The RAND Corporation to discuss common problems in computing. This all-day session was tape recorded and a transcript was later produced for the attendees.*

*A second such session was held this year on March 2. It too was taped and printed copies of the transcript were sent to the gentlemen listed below. The section which appears here is a result of editing by the participants.*

*A part of the discussion concerned what many of those attending felt was a lack of any real unifying organization in the information processing field. They agreed that some good might be achieved by publication of their discussion of this subject.*

*Those attending the 1959 session were Herb Grosch, IBM; Morris Rubinoﬀ, Philco; C. B. Tompkins, UCLA; Charlie Phillips, Dept. of Defense; Herb Bright, Westinghouse; Saul Gorn, Moore School; Al Zipf, Bank of America; E. E. Minett, Remington Rand; Don Madden, System Development Corp.; Ed Cannon, Bureau of Standards; Bill Gunning, Epsco-West; Fred Way III, Case Institute; Walt Bauer, Space Technology Labs.; Oliver Selfridge, Lincoln Laboratories; Jackson Granholm, COMPUTING NEWS; Paul Armer, Fred Gruenberger, and Willis Ware, RAND.*

*The views expressed in this piece are those of the individuals involved. They do not necessarily reflect DATAMATION's views or the views of RAND, ACM, IRE, AIEE, SIAM, AMA, NMAA, the Department of Defense, COMPUTING NEWS, The International Brotherhood of Teamsters, or the DAR.*

*As the participants resumed their discussion following lunch it was suggested that the next topic to be considered deal with the need for a glossary of computer terminology. The consensus of opinion is voiced in Dr. Grosch's opening statement . . .*

*Grosch: Isn't this really a sub-category of the larger question: what is wrong with our professional organizations? If we had a decent computer organization, this would be one of its functions and there wouldn't be any problem.*

*Rubinoﬀ: All right, Herb, I'd like to hear you discuss that one . . .*

*Gorn: Would you say that this is a topic under Item 4 of the Agenda; namely, What Can Be Done to Increase the Effectiveness of our Professional Organizations?*

*Gruenberger: It would certainly increase the effectiveness for me.*

*Grosch: Many of the people who invent these terms don't belong to the IRE and don't see its publications, even those of the PGEC.*

*Rubinoﬀ: Again, let me say, don't let's be one-sided in our approach. There are several sets of interests. We didn't even include the business users. I would imagine that the American Management Association will be coming out with their glossary one of these days and it will be quite different.*

*Gorn: Relating to Item 4, some questions have already come up in the council and in the editorial board. The question was raised in the editorial board about starting a review journal. Similar questions have come up in the council such as the social responsibility of computer people. My answer to all of these is, "we can't answer these questions until we find the function of the society and what it is supposed to cover." The question then becomes one of definition. What is the society supposed to cover? That ought to be our first question. If the society knows what it is, then it can increase its effectiveness.*

*Tompkins: Your point is well taken, Saul. When the ACM was founded there weren't any computing machines, and a handful of people put it together. Everybody tried to straddle the whole field. Ever since then it's been contesting with itself to the point where I lost interest in it completely for a number of years. As far as I know, it doesn't have any status goals that are adequate at the moment.*

*Gruenberger: Maybe it would be easier at this stage to list the things that it should not be interested in.*

*Gorn: Rather than worry about this particular society, let's consider the different functions and type of people in the whole computer area.*

*Rubinoﬀ: I'd like to hear expressions of opinions because this problem is getting quite severe. The NJCC has an ad hoc committee set up to determine how on earth we represent computer-interested people in this country at the International Federation of Information Processing. Why should it be the NJCC? Why can't it be, for example, SIAM? Or the American Management Association, or, for that matter, the chemical societies? They have information retrieval problems.*

*Grosch: You might be interested to know that I tried to get something going inside IBM on this. John McPherson and I met twice to try to get a meeting going on it. We wanted to get a company position at least discussed if not established on the matter. I drew up a four page agenda of possible alternatives for discussion which was sent around to half a dozen high level types, and their comments were so divergent that McPherson decided to not even call the meeting.*

*Gorn: I was citing an example before, from the editorial board, where people have been pushing for the ACM to publish reviews. Let's say we know what the society is. What would we review, everything?*

*Grosch: There are a lot of pressing problems involved here. We can expect to have many more international meetings, and we ought to get the organization problem licked. Look at the list of the guys with interests: you have manufacturers with problems of standardization, terminology, and so forth; you have users who have organized cooperative groups; you have universities trying to find out what to teach, (all three of those groups have the problem of education on their hands); you have suppliers who are trying to feed components into the industry; you have professional programmers; you have information theorists and machine organization people. And all these groups do have a common interest; they're all interested in that big box of stuff sitting in the middle of the room.*

*Armer: It seems to me that never before in the history of*

---

*We are sacrificing our standard type and our usual make-up so that this transcript can be presented in two issues. These representatives of our industry seem to think that the need for considering this subject is urgent. We agree.*

mankind has the situation which is about to come upon us existed. This is the pervasion of computers and computing into every other science field and discipline. We've always thought of mathematics as the queen of the sciences pervading every other field, but computing is going to go much farther than that.

Rubioff: I object to the words "never before." It's happened before in the case of libraries and it's happened in the case of statistics. Now, I'd like to muddy the situation even more. There is an International Federation on Automatic Control; the IRE and the AIEE both have representation on that. Now, this group is set up with a subdivision relatively small called data processing.

Grosch: While we, of course, regard their business as a very small sub-category of our business!

Armer: Yes, in the latest issue of the Transactions of the PGIT, they are talking about the possible need for changing their goals to include information processing. Going back to your comment, Ruby, I don't think statistics is a fair example. In the first place, I don't think statistics has pervaded nearly as many fields; and in the second place, it's somehow different.

Rubioff: Mathematical statistics has pervaded many areas, however. If you prefer we can talk about operations research, which pervades many areas as well.

Grosch: I think statistics is a sub-class of operations research and operations research is in danger of becoming stillborn. I would agree with the library comment, but I think libraries are just a sub-class of information retrieval devices.

Gorn: What you're really talking about is the theory and practice of formal communications, and that's why it is such a central thing.

Grosch: That's very well put, Saul. It seems to me that everyone is getting on the bandwagon now, under the banner of information processing.

Armer: Six months from now, information processing will be the O.K. word in this business.

Rubioff: There's an alternative. We could invent an even newer term and see if people could catch up with us on that one.

Armer: I think we really need some generic terms, and information processing is just too damn long.

Grosch: Well, we could make up one. The word "radar" was invented; all we have to do is string together five letters with a lot of zilch.

Gorn: If information processing or information transforming won't do, then formal communication won't do, either.

Gruenberger: Whatever this word is that you make up, Herb, make sure that it appears first in the Glossary.

Granholm: We ought to put a Greek scholar to work on it and come up with some word like thelelatia, which describes a phenomenon evident in a great many magazines.

Gorn: Cybernetics came about that way and it has something to do with communication between man and machine and we're interested in the communication side of cybernetics.

Grosch: If we had this name, it could then be in the title of the society, which would get it into general use, and then it could appear in the glossary which would be the first duty of that society and so forth.

Granholm: I'll propose the Meta-Computer society. That has a nice mysterious sound.

Rubioff: What does the group think is the role of the NJCC?

Grosch: It fills a void.

\* Which void?

Grosch: The void left by the ACM.

Bright: There was a deathless crack attributed to the president of General Electric quoted in Time, recently, to the effect that all committees are no good because they're just a means of spreading irresponsibility. Obviously, NJCC is just a big committee.

Grosch: I detect an opposite trend though, Herb, in the JCC guys; they're reaching for responsibilities which their

charter really prohibits. At every meeting I've attended, there have been four or five resolutions passed, after each of which somebody like Willis has to say he's been reading the charter and the JCC can't do that! Most of the people who get in there really want more responsibility, but this is withheld from them by the nature of the committee charter.

Rubioff: This is a serious problem, and it hurts the entire activity of the computer field. If you have many splinter groups you have all kinds of side pulling and all kinds of conflicts which don't get resolved because they lead to such interesting problems, such as what kind of magnetic tapes does a given computer use and how do you go from one computer to another?

Minett: Could I offer a thought here? Would it help in our organizing a proper computer society if there already existed a computer manufacturers' association so that problems which clearly belong to them could be left out? In most other businesses there is a definite industry association. Such an association can resolve the normal problems of standards and things like that; and it seems to me that in the ACM there has been an awful mixture of problems which hasn't helped it a bit.

Gorn: We differ from a society like the American Physical Society in that they are concerned with the research problem, pure and simple. They are not involved with questions of production, as well as research.

Minett: That's right. It leads to problems like trying to impose standards on an industry which lacks an industry association. This is always a losing task.

Grosch: You don't impose standards, you register standards!

Granholm: Maybe we could come up with a new sweeping organization that we could call the National Machine Accountants Association.

Grosch: Maybe we should be discussing something a little more practical—how we could strengthen the JCC or how we could strengthen the ACM and eliminate the JCC; or maybe junk both alternatives and start a brand new society.

Bright: We obviously have jurisdictional conflicts between these three groups. Each one of them, in a way which it piously hopes is gentlemanly and forward-looking is trying to cover some of the same ground as the other two. You have the same sort of conflict between the IRE and the AIEE themselves but it's fairly trivial because they don't intersect too much. In the JCC, the conflict is among the interested members of the three groups who have precisely the same interests. The three groups are trying to make believe that their interests don't conflict. This seems to me to be a very strange combination of unions. I wonder if much of the sterility of the organization can't be traced to the fact that each group is worried that its neighbor might be doing the same thing.

Granholm: This is partly a function of the nature of the professional organization you want. If you want a professional organization that has some force in it, then you ought to study the American Medical Association. This association gets this way because each member is required to kick in large hunks of money with which they can go out and hire a director who is no weenie and who gets a salary that is rip-snorting...

Bright: You're describing not only the AMA but also the International Brotherhood of Teamsters.

Granholm: That's right.

Minett: And, I don't think it would be that way if the drug manufacturers had a powerful association. That's why I was suggesting a manufacturers association so that their problems didn't get mixed in with our professional problems. For the moment, I merely postulate that there ought to be such an association and it ought to be separate from a professional society.

Granholm: Its publication will be the Journal of Applied Atrophy.

Gorn: Would it help any if we looked at just a small portion of the problem? Instead of looking at personnel, let's look at the editorial policies that are involved. It's not very hard, given a particular paper, to decide whether it's over the border on the SIAM side or over the border on the IRE

1. worship of the bosom

\* signifies unidentified voice throughout transcript



# IBM. APPLIED SCIENCE...

*a professional career*

*that didn't exist ten years ago offers*

## **BROAD NEW OPPORTUNITIES**

Ten years ago, the Applied Science Representative was almost unheard of. Today, at IBM, he has a "frontier" career with all the associated challenges, excitement, and opportunities to make rapid progress based on personal capabilities.

The IBM Applied Science Representative is a professional consultant to the top echelons of business, industry, and government management. He deals with the mathematical formulation of scientific and management problems and proves the feasibility of solutions with electronic data processing systems.

Successful men and women candidates will be given comprehensive training to equip them to direct their education and talents toward a successful career in Applied Science.

### *You can become an IBM Applied Scientist, if:*

- you have an M.S. or Ph.D. in engineering, mathematics, or one of the physical sciences . . . or a B.S. in engineering, mathematics, or one of the physical sciences and a Master's degree in business administration.
- you have a B.S. in mathematics or one of the physical sciences, plus experience in computer programming.
- you are interested in exercising a free hand in assignments requiring fresh thinking and new, creative approaches.
- you are able to communicate ideas to technical and nontechnical people.
- you are interested in joining the leader in the fast-expanding electronic-systems field.

### *For further information, contact your nearest IBM branch office, or:*

#### IN THE EAST

Mr. W. F. McClelland  
Manager of Applied Science  
IBM Corporation  
Eastern Region  
425 Park Avenue  
New York 22, New York

#### IN THE MIDWEST

Mr. R. W. De Sio  
Manager of Applied Science  
IBM Corporation  
Midwestern Region  
618 South Michigan Avenue  
Chicago 5, Illinois

#### IN THE WEST

Mr. L. C. Hubbard  
Manager of Applied Science  
IBM Corporation  
Western Region  
3424 Wilshire Boulevard  
Los Angeles 5, California

*Applied Science Representatives are located in over 100 IBM branch offices throughout the country.*

## **DATA PROCESSING DIVISION**



side, or does really belong in ACM. For example, if a paper on numerical analysis is concerned with truncation error analysis it belongs in SIAM, if it concerns how the procedure is effected and controlled, it belongs in ACM. On the other hand, look at questions of logic; if the question is how does this affect programming, then it belongs in ACM, if the question is how does it affect components and hardware then it belongs in IRE.

Rubinfoff: What does this leave for AIEE?

Gorn: I don't know how to place AIEE.

Rubinfoff: It publishes the same material as IRE and I'm on the editorial board of all three. This makes some interesting problems for me. If a paper is submitted to me in my capacity with Society X then I'm going to place it in the publication of Society X. But, actually, the man really doesn't know where to send it, because we haven't defined what is going to be published.

Gorn: When you reject it, do you suggest to him that he re-submit it to one of the other groups?

Grosch: I couldn't care less who publishes some abstract scientific paper! What I want to know is how do we pull together a hundred thousand warm bodies that are working on the outskirts of the computer business, give them a high priced executive director, lots of advertising, a whole series of technical journals; in other words, organize a real rip-snorting profession? Whenever somebody starts worrying about which journal what paper should be published in, we get bogged down in an academic cross-fire we've been in for ten years.

Gorn: The problem is too large. So we started to look at just one small piece.

Grosch: Well, look, it would have been mighty hard to build up the American Medical Association or the American Chemical Society in ten years. But on the other hand, we're a lot smarter than they are.

Bright: After all, if a group we may christen the American Computer Society is going to publish all these journals, who cares? A central editorial board can make this trivial decision.

Rubinfoff: Now, is this the role of NJCC? Isn't there an ad hoc committee to consider just this question? Aren't you a member of it, Paul?

Armer: Yes, there is a JCC committee, consisting of myself, Ed Harder and Norm Taylor.

Gorn: Isn't the Huskey committee in the ACM, working on that, too?

Rubinfoff: No, this problem is much broader than that. I repeat that one of the things that causes a splintering is just this problem of having to decide where a given paper should be published.

Bright: Oh, now it comes out. What you're driving at, Morris, is just exactly the sort of thing that Fred [Gruenberger] was telling me about last night in regard to the use of coding forms and flow chart symbols and so on. Every single person pops up and says, "Obviously it doesn't make any difference what way you do it, so do it my way." What you're suggesting now is that the NJCC wants an answer that fits the present pattern of the NJCC. Each of these organizations wants a solution which fits the area which it has carved out for itself, which overlaps the other areas. You've reached a real impasse here.

Rubinfoff: That isn't right. NJCC doesn't want that at all. NJCC is recognizing that being the only over-riding body that identifies itself with computers, they may have done the country a disservice and the committee may come up with a recommendation that NJCC is not the representative body. What would you do? Supposing the decision were yours to make, Herb, what would you recommend? How do we advance the field of computing best? Maybe the suggestion that there be a manufacturers' association is a good one. Let them take care of that end of the computer field.

Grosch: Our professional business is that of organizing information. Now, if we can't organize ourselves to organize information, we look rather silly. If you want a one sentence objective, I would say that we need a society that will provide professional and public leadership (by which I mean leadership in the eyes of the public)...

Tompkins: The job of the American Institute of Physics was simple because they had a whole bunch of societies that were more or less remote, like the American Acoustical

Society, that were beginning to get all messed up with each other. We, of course, started out all messed up with everything. This doesn't mean that we have to discontinue the Association for Computing Machinery or anything else. Something like the Joint Computer Committee simply has to be accorded some power to act.

Grosch: What is quite possible here is a simple evolution from what we have now into an Institute for Computer Sciences or Information Processing Sciences, or what have you. Maybe we ought to draw in our business friends for example. I don't know what the reaction of a group like the NMAA would be to all this; maybe we're going to have to dangle some sugar cubes in front of their noses.

Gorn: How about the word you just used, Herb, Institute of Communication Sciences?

Grosch: The trouble with that is that it sounds like somebody trying to make money. Maybe an O.K. word is American; we might try for American Institute of Communication Sciences, that sounds like a non-profit organization.

Gruenberger: I want to see this first meeting of the Association of Computing Manufacturers with IBM and Royal-McBee sitting side by side.

Grosch: We won't settle for anything less than 90% of the votes! Fred has put his finger on a weakness of such an organization, though—that we don't have the balance that exists in other groups. IBM is such an important part of this business, that we'd probably be afraid to join.

Granholm: You could louse things up worse by abstaining, though.

Grosch: We're kind of caught there. If we join it, we wreck it; if we don't join it, we wreck it.

Gruenberger: You'd have to run it with a Senate and a House. In one part, everyone gets one vote, and in the other part votes are allocated according to size.

Grosch: But we have to consider the consent decree which specifically prohibits us from doing many things that might make good sense in normal business.

Minnett: But, this might be different because trade associations are a respected part of the American scene.

Gruenberger: But, again this might be different because of the wide disparity in size.

Granholm: Oh, I don't know that there's such a disparity in size. When you take into account the total business—shavers and so on—of the various competing organizations, IBM is not the world's largest.

Armer: I don't think those other things carry any weight.

Minnett: Legally, it does, because of the net size of each of the companies involved.

Grosch: Well, couldn't we sum it up by saying that this discussion indicates it's not quite as simple as it sounds...

Minnett: Then, you are arguing that the manufacturers should form such an association.

Rubinfoff: That's correct. As a matter of fact, something like that is already going on in the Electronics Industries Association, regarding input/output equipment.

Gorn: How did it happen in the automobile industry around the turn of the century? They standardized and yet they were in competition. My answer is that it isn't in spite of the competition, but because of it.

Grosch: They did it through Zenith carburetor in the same way we do it through Minnesota Mining and Manufacturing. But look, fellows, I'm not really much interested in this even though I know it's important. I'm looking for a front organization. I'm not nearly so worried about who builds six channel tape and who builds seven channel tape, as I am about having someone who is Mr. Computer; someone who can go down and testify before Congress if need be. There may be complaints that manufacturers aren't hiring back all the men they lay off due to automation, and it's all the fault of the computer; at that time we need a spokesman.

Granholm: Is it possible, Herb, that you have a candidate for the job of director?

Grosch: It depends on the salary.

Rubinfoff: Where does the NJCC fit into your thinking?

Grosch: It seems to me that the best way to do this, not necessarily the cleanest way or the neatest way, but at least the easiest way would be to reconstitute something that would take the place of the JCC with much more power

(Continued on page 30)

# Honeywell 800 costs thousands less than any other high-speed scientific computer

New, all-transistorized Honeywell 800 matches the practical speed and performance of its fastest competition in the scientific field—yet costs at least one third less. Medium-scale in size (and price), Honeywell 800 can tackle and solve with ease scientific problems that would stretch the capabilities of some of the most expensive computers now on the market. New, exclusive features of design and logic equip Honeywell 800 to handle scientific computation with unparalleled economy—a vital consideration as research directors everywhere count engineering costs more closely.

## **High Internal Operating Speeds**

Honeywell 800 gives you an internal operating speed of 30,000 three-address operations per second, the equivalent of 70,000 single-address operations as performed by conventional computers. Honeywell 800 can invert an 80 by 80 symmetric matrix in 75 seconds—or fit 100 points with a 10th degree polynomial curve in *one* second. The trajectory of an artillery shell can be determined in 1/30th the time it takes the shell to describe it.

## **Expandable Memory**

The high-speed magnetic core memory of Honeywell 800 is available in modules of 4,096 words, up to a practical maximum of 4 modules (16,384). Of course, if your scientific problems demand an even greater capacity, upward adjustments can be made. And remember—the memory capacity of Honeywell 800 is expressed in 48-bit words, which are half again as long as those of most other systems.

Also available are magnetic tape units capable of operating at a peak rate equivalent to 112,000 decimal digits per second. With such high speed you can now invert large matrices or solve large linear programming problems—fast and efficiently—without the expense of a huge memory.

## **Both Decimal and Binary Floating Point**

Honeywell 800's exclusive ability to work in either decimal or binary, fixed or floating point arithmetic enables you to choose the form most convenient to your purposes.

## **Longer Words Speed Problem Solutions**

The greater length of the Honeywell 800 word permits the System to utilize single-precision arithmetic when other computers would be forced to slow down for double precision.

The floating decimal word in Honeywell 800 has a range of 63 digits before the decimal point to 64 zeroes plus 10 digits after it. This sharply reduces the overflow or underflow which complicates programming on other computers. Also, the mantissa (base number) has 10 digits, minimizing the need for drawn-out, multiple-precision computation.

The floating binary word provides even greater range and precision. Numbers may range from the equivalent of 75 decimal places before the decimal point to 76 zeroes and 12 decimal digits after it. The mantissa has 40 binary places, the equivalent of 12 decimal digits.

## **Maximum Flexibility in Programming Structure**

As you would expect from the company "First in Control," Honeywell engineers and scientists have designed Honeywell 800 to give the programmer much greater control, freedom and flexibility in handling scientific computations. Besides three-address instructions, greater word length and the option to work in binary or decimal, floating or fixed-point arithmetic, Honeywell 800 offers the programmer several other major advantages in flexibility.

*Indexing* (64 index registers) reduces the number of orders required in inductive programming, hence steps up computing speed and conserves memory space. *Word Masking* adds the flexibility of variable-length words to the speed and efficiency of fixed-length words. *Indirect Addressing* enables you to perform such functions as a table look-up or an interchange of rows and columns of a matrix with a single instruction. Honeywell 800's exclusive *Bi-Sequence Operation Mode* gives you the flexibility to depart from the basic program sequence and return to the proper point—without writing special instructions.

## **Full Complement of Input-Output Devices**

In addition to magnetic tape, Honeywell 800 features a full range of standard and high-speed input-output devices in both on-line and off-line models. These include keyboard, paper-tape, punched card and printing devices. Buffering, input-output trunks and internal control have also been designed to simplify the addition of special purpose equipment.

No other system can be adapted so closely to your immediate and specific requirements, or be expanded so easily and economically as those requirements grow.




### Automatic Error Correction

Completely self-checked internally and externally, Honeywell 800 offers you still more: *Orthotronic Control*. This exclusive means of tape error correction has economically raised the reliability level of Honeywell 800 far beyond the reach of any other computer.

With Honeywell 800 you could easily expect to perform — without interruption — a matrix inversion requiring  $1\frac{1}{2}$  days of computer operation. Orthotronic Control is another reason why Honeywell 800 can introduce new economy to scientific computation.

### Data Processing Goes On Simultaneously

Honeywell 800's much-heralded principle of Automatically Controlled Parallel Processing enables this System to process business data *at the same time* scientific problems are being solved. Several different and independently programmed jobs can be processed simultaneously — business, scientific or both. Even a minimum use of parallel processing insures your company of operating efficiency and economy that no other system can approach.



### AUTOMATIC PROGRAMMING AND LIBRARY ROUTINES CUT COSTS OF PROBLEM PREPARATION

Automatic programming aids and library routines currently in preparation include the following:

#### Algebraic Compiler

The Honeywell 800 Algebraic Compiler utilizes the same scientific language used on several other popular computers. The subroutine library consists of routines commonly used in solving scientific problems. Thus, existing programs written in this language can be run on Honeywell 800. Because of the speed and efficiency of Honeywell 800, some of these programs will be processed faster than on the system for which they were written.

#### Assembly Program

The Honeywell 800 Assembly Program assists the programmer by providing automatic translation from simple pseudo codes to machine language, assigning memory addresses to symbolic tags — assembling various routines comprising the program, and various housekeeping functions associated with program preparation. The job of writing programs is greatly simplified, costs are reduced and accuracy in program preparation is increased.

#### Automatic Problem Checkout

The Honeywell 800 Automatic Problem Checkout is a set of routines designed to provide the programmer with a complete evaluation of his program under operating conditions. Errors are located more quickly, changes made more easily, machine time for checking purposes is minimized and program management is made more workable and predictable.

#### Scientific Routines

An expandable library of Honeywell 800 scientific routines is being made available for computations involving trigonometric functions, matrix multiplication, matrix inversion, interpolation, curve fitting, ordinary differential equations, and linear programming.

#### Data Processing Compiler

The Honeywell 800 Data Processing Compiler simplifies problem preparation and coding and provides for convenient utilization of pre-tested library routines. The programmer prepares his problem in easily-learned business-language codes, which are then automatically translated into machine language by the translator. Individual routines, whether prepared or extracted from the library, are compiled into a complete program at machine speeds. Provision for expanding, modifying and maintaining the subroutine library are included in the Honeywell 800 Data Processing Compiler.

In addition, generator routines for input and output editing and sorting further reduce programming costs.

"Honeywell 800, a Superior Scientific Computer" is a booklet containing full details and specifications of this new and exciting *economic* approach to complex scientific computation. To get your copy, just write Minneapolis-Honeywell, DATAmatic Division, Dept. D4, Newton Highlands 61, Massachusetts.

**Honeywell**  
**DATAmatic**  
ELECTRONIC DATA PROCESSING

Circle 12 on Reader Service Card.



given to it by the societies. With that as a start, you invite in all the other outfits. They don't have to be chopped up, and they don't have to be told that they must reorganize themselves. You simply offer them the right number of votes and invite them in. Then you can try to reshape things a little. At one end, you start a standardization effort; at the other end you might start a morality committee to establish that you shouldn't swipe more than 20% of your competitor's people per year. The only things we need aim at right away are the matter of international conferences and the problem of hardware standardization. If the latter topic is being taken care of elsewhere, fine. We could drop that. . . .

Bright: I'd like to go back to Tommy's discussion of the American Physical Society and the analogy he was drawing with our situation now. The difference it seems to me, was that for them they already had distinct societies, each with its own council, which were welded together into a master organization. The point is that there was such a thing as the Acoustical Society. There wasn't an audio professional group of the IRE, a sound group of the AIEE and perhaps a cat's ear group of the Medical Society. We seem to have in our case a bunch of unions vying for the same labor. In some cases, we have people who are members of all three. It seems to me that we have an impossible jurisdictional mess. They pretend to be working together when actually they're fighting each other tooth and nail.

Granholm: It seems to me that the NMAA ought to be willing to go along with this, because they already have a fairly clear cut organization.

Grosch: I think they would be willing to appoint someone fairly high up in their echelons to attend meetings and maybe vote once in a while. And if he got sick of it to the point where he could go back home and say, "these guys aren't doing anything for us," maybe they could pull their membership out. I'm not sure this is the right approach.

Gorn: Maybe we could do this by elimination. If we want professional societies that could, for example, represent the computing profession before Congress, they would want to know first of all that it is not representing a commercial interest. Therefore we can say that our professional society must not have an industrial tinge to it. Similarly, we can eliminate things from other angles here and simply see what is left.

Grosch: What I'm saying is that it might take us two years at that rate to define our objectives and get a rough draft of a constitution. And I think something ought to be done in the next few months.

Rubinoff: Let me indicate another problem. When the NJCC was formed by the three societies, it was agreed that when national conferences were held they would be sponsored jointly by the three societies. I would say that this has worked remarkably well; everyone has pitched in and cooperated. Now, let me talk AIEE because I have a problem there. . . .

Grosch: Let me interrupt, Morrie, to point out that the ACM kept its annual meetings going. They really shouldn't have, in the context of what you just said.

Rubinoff: The AIEE has a membership of about 50,000 (similarly the IRE). Of these, some two to three thousand have indicated that their primary or secondary interest is in computers. But, that leaves some 47,000 engineers who could use computers and who should be made aware of computers if only someone would only take the trouble to do it. But, they're not going to the computer conferences because they haven't been educated. The primary objective of the AIEE in the last few years has been to do that job of education. As a result, in the power industries, for example, there has been a big increase in the use of digital computers in the last few years. This is because we in the AIEE went hammer and tongs at the problem of educating the power engineers to the use of computers. The question now is, "how do we maintain that kind of activity in a national organization?"

Gorn: I'd say it's dangerous to allow another society to take over the educating part or the acquiring of new blood into the organization. I've seen other societies, (SIAM, for example) avoiding contact with university groups from which new members might be expected to come, which are dying on the vine as a result. In the same vein, ACM should concern itself with university chapters or it too may die

out.

Tompkins: I don't understand what the word "chapter" connotes.

Gorn: It connotes a mechanism whereby local activities can be handled and new membership can be received.

Rubinoff: Incidentally, in ACM they had to be bludgeoned into allowing local chapters.

Armer: Even today, the ACM does not officially recognize student chapters, but, we've got 'em!

Grosch: Fellows, we're back in this same grove again: worrying about who is going to publish what paper and whether or not there should be student chapters and so on. This is small stuff; it's interesting and it's important in its own right, but it's small stuff. We have a tool in our hands which is going to completely remodel society. And we're piddling along worrying about whether we should have student chapters. That just isn't the real problem. Consider the Institute of Physics, about which I know something. All the people involved in the physics disciplines, the acoustics people, the optics people, had branched off into separate small societies and were willing to come home again. But this isn't true in our case. We have accounting types, electronic types, astronomy types, and they just aren't going to want to come into a central organization unless we have something awfully attractive.

Rubinoff: This whole topic came up at the NJCC because of a request to consider inviting SIAM to join NJCC. There isn't a thing in the constitution of the NJCC which would allow them even to think about how to start to go about it. If that one had gone smoothly I had two more for them to consider—the DDA Council and the Simulation Council. These groups obviously have an interest in computers but they are not represented on the NJCC. There are even other groups to consider, like the AMA. This is a mountainous problem, and we're only playing with the foothills when we talk about student chapters and things like that. Questions regarding publications and the mechanics of representation—these things are secondary to the primary question of how we can represent information processing to the world. And how do we get all the people involved in it represented to each other. This is part of what we were discussing this morning. If we can get the public to understand what it is we are doing, we'll get more support and more funds.

Gorn: Then we must present to the public a representative and respectable body of doctrines which doesn't exist yet.

Rubinoff: And there must be a vehicle for it.

Granholm: There's one thing you shouldn't overlook here. In many instances, the men who control the funds are members of the NMAA.

Grosch: One way such an organization might get started might be to approach an outfit like the Ford Foundation. They could put up enough scratch to float you for a year or two. I don't mean to imply that it would be simple—that all you would have to do is ask for it.

Gorn: What are we asking for?

Grosch: That's the point. Without a set of objectives you have, in fact, nothing.

Minett: Essentially, we're talking about a body that can stimulate research on, and use of, the techniques we've been talking about. It's a body which can effectively stimulate at the right level. If it should turn out three years from now that carburetor manufacturers should be stimulated then it should be a body that can provide that stimulation. Now, this body does not necessarily have to be a membership body. As Herb has pointed out, there are many disciplines that can enter into this organization, and it can be highly effective without being a membership body. We should be thinking in terms of a council-type operation. Thus, respectability would arise not from large and complete membership but from representation on the council. We certainly couldn't expect to speak with authority for the many thousands of IRE members, nor could we expect that several thousand of them would transfer membership to the new organization. Rather, the knowledge which could be brought to bear by the thousands of IRE members who are interested in computing could be done through a representative on the council.

Tompkins: What you're saying is that the IRE belongs, but not the individual members. I think this is almost obvi-

ously clear; it is the only thing that could possibly work. The NJCC was put together (unrealistically, undoubtedly) with just this idea in view.

Minett: The reason I bring it up is that whenever a new organization is proposed, the first question asked is, "couldn't an organization like the ACM be greatly expanded and strengthened?" But I agree with Saul's point that it would be well worth while to record what the society should not be. I am suggesting for example that it should definitely not be a member organization.

Gorn: Then it will not be able to grow.

Minett: I doubt that. Look at the trade associations which are excellent examples of non-member groups.

Gorn: But they're not considered professional societies and what we're proposing must be a professional society.

Tompkins: Well, then look at the American Institute of Physics. It's a non-member organization.

Grosch: One trouble with talking about the Institute of Physics is that it is the only organization that the individual societies subscribe to. That isn't wholly true, but generally it is. The prime loyalty of the Optical Society for example, other than to its own members, is to the Institute of Physics. This would not be true of the IRE for a while; say, ten or twenty years.

Tompkins: Couldn't we specifically suggest that the NJCC expand and pick up some authority?

Ware: Remember that the NJCC is not an organization in its own right. It is only a committee.

Grosch: It's an inter-society committee to put on shows, that's what it amounts to. We could go back to those societies and ask them to set up an inter-society council to do something else, only we need to define what; that's the trouble. Here today we have an important group, and small enough so that we can talk to each other, and we haven't come up with any clear statement.

Tompkins: That's because it's a real complicated problem and we have not deliberated reasonably on it with a view toward creating a precise concise statement. If we were to do this, we should point out to this inter-organizational committee the need for them to become, say, an inter-organizational council and the need to get the word computer out of their title and information in their title; we couldn't define all of its objectives but we could define some of them. We could point out to them, for example, that educational standards are not being set and that there is gross misunderstanding as to what constitutes a course. Terminology is not well understood and it is not standard from field to field. There are publication problems; this council could provide unification in publications if asked. It looks to me as though it would be relatively easy to establish the need for such a council and recommend setting up some sort of continental congress to get it into action.

Grosch: Do you suppose we could establish some sort of ad hoc committee, really an expansion of the present NJCC with other societies invited in, which would be a sort of Continental Congress—a federation which would evolve a constitution at a later date?

Gorn: The words that Tommy just used read like a preamble, and you could start it off that way. What Tommy didn't cover was the thing you mentioned a while ago, Herb: what do you do to bring into existence a professional society when that society cuts across almost all other professional societies?

Granholm: Saul is talking about horizontal and vertical lines again.

Grosch: And I think that a lot of the silence we now have around the table is due to our thinking of a lot of professional societies that would resist any such movement.

Gorn: And that, in spite of their all agreeing with the preamble as Tommy gave it.

Tompkins: And so it reduces to a selling job. Obviously, no one is going to join the outfit if it won't do some good.

Grosch: It's an untempered-step process. The first thing you need to do on an informal basis is to get some sort of agreement on objectives. Then you find some support. It might be manufacturers, it might be rich societies, it might be the Ford Foundation. After that you get some people working full time on the job. These people can go around to different societies and find out how they did it, then come in and draft lots of preambles. After all that, you can hold a constitu-

tional convention and everyone can get together and tear the whole thing to pieces. (Then you can disband, and you're right back where you started!)

Tompkins: I think it can be done more hopefully than that. First you need a group of societies with a common interest. They must be large enough and they must profit somehow by their banding together. I think that such a group of societies probably exists now. All you need to add is some broad general objectives, and if that weren't true the NJCC wouldn't exist now.

Gorn: A lot of societies will not recognize that they belong to that objective even if they do. Take for example mathematics departments in universities and their attitude toward computing.

Tompkins: I'll grant that, but I claim that there are enough people who do understand that they could profit from it for a going concern to be built.

Gorn: All right, let's ask Morris. Would IRE and AIEE join such a group if it were something more than the Joint Computer Committee?

Ware: I can answer for the IRE, I think. There is a mechanism whereby the IRE can do this internationally. Therefore, I suspect that the mechanism either exists or could be established to do it domestically.

Gorn: But I'm talking about whether or not they would have the will or the interest or would they be afraid to?

Rubinfoff: Speaking for the AIEE, and I'm sure Willis will agree for the IRE, the answer is yes. After all, they went into the NJCC. Don't you agree, Willis?

Ware: Very likely you are correct.

Minett: We have listed four or five organizations that would logically be a part of this. There are somewhere around a dozen that ought to be approached.

Grosch: There are, of course, other possibilities. One thing that could be tried would be a giant mailing to all the members of these societies. You could send the ballots to the entire membership of the IRE, and AIEE, the NMAA, and ACM asking the individual members if they would like to be represented at a constitutional convention. Ask them to return the other half of the ballot if they are interested and would like further information, and you wind up with 50,000 names, raw material who are interested in the formation of an all-inclusive federation of information sciences, or whatever you want to call it. From here, you go on to delegates and super-delegates who meet and draw up a constitution and a preamble which is eventually ratified and you wind up with a large new organization of individuals.

Rubinfoff: If we can hold this constitutional convention in Bermuda, I'm all for it. I would like to indicate something of what has been done in other countries on this problem. In Germany, they established a special organization for applied mathematics and mechanics. In Japan, they simply embedded it in the Japan Electronic Industries Development Association, which has certain governmental overtones. In Sweden, they are making use of the Swedish Board for Computing Machinery, which only recently came into existence, primarily because they knew that the International Federation was going to come to pass. In the Soviet Union, the Russian Academy of Sciences will be the representatives to the International Federation.

Grosch: I'd like to have librarians, even microfilm experts, get into this thing. Anyone who has information to be stored, to be processed, to be retrieved, to be broadcast . . . Let me say again why I thought this giant constitutional convention was different from the other approach. The obvious difference is that an individual can have multiple loyalties. You can be an IRE man and an ACM man and an astronomer and an opticker and love them all. But, a society can have only loyalty to itself, and possibly upward to a federation like the Institute of Physics. If you start a brand new society, you can ask 50,000 individuals to join it and each of them can still continue his loyalty to ACM or other societies he previously belonged to.

Gorn: And then 50,000 people will say to themselves, "should we join another society?"

Grosch: I agree that most of them would say, "let's not." Although we here agree that the need is pressing, I must admit that many of the 50,000 would not see it.

Tompkins: Why do you say that a society can't have two or more loyalties?

**"THE PROGRAMMING FIELD** is on the verge of tremendous changes. If we consider the developments in programming techniques and computer hardware that are currently in progress, these alone are enough to make one pause. Added to this are the new uses to which digital computers are being put, such as in management and process control systems. These new uses have created classes of problems for which we do not even have an adequate language to formulate the problems.

"We at SDC are aware of these imminent changes and are preparing for them by extensive activity in pure and applied research in computer programming. Realizing that a large computer based system consists of many integrated components, we are also undertaking interdisciplinary research among such diverse fields as computer programming, electrical engineering, psychology, and operations research.

"If you are a senior member of the programming profession and would like to participate in advanced research projects, you are invited to contact Mr. William Keefer at System Development Corporation, 2478 Colorado Ave., Santa Monica, Calif."

*Robert Bosak*

Robert Bosak, Head of the Data Processing Research Staff



11-119

Robert Bosak, Head of the Data Processing Research Staff



**SYSTEM DEVELOPMENT CORPORATION**

Circle 70 on Reader Service Card.

SANTA MONICA, CALIFORNIA - LODI, NEW JERSEY



Grosch: It seems to me that organizations should have single objectives, whereas people have multiple objectives.

Gorn: The answer, Tommy, is that the council will flounder whenever it gets a specific action to consider.

Armer: I don't want to kill the international issue, but with respect to NJCC, there's a domestic issue as well. Part of this is the question of size. If the JCC meetings get any larger there will be damn few places where they can be held just because of their size.

Grosch: Yes, but this is true also of the chemists and the doctors. Look at the IRE meeting. I think a lot of big cities are aware of this and are building facilities to take care of big outfits.

Minett: There might be a possibility of having your cake and eating it. There are people who are interested in associations on a local basis, on a chapter level. Related societies could be represented with these local chapters on a national council. You could probably get several thousand people who would be interested in being members-at-large, either through their other memberships, or in addition to them.

Gorn: Are we plotting the super state?

Grosch: Saul, I don't think so. I think the point is there's a lot of dissatisfaction in some groups and very little in others. I don't know NMAA very well; I talk to them all the time, but I'm not one of them. But I would guess that on the whole they're a pretty well satisfied group. On the other hand, with ACM, I think there would be a lot of people who would join and drop their ACM membership.

Ware: There is precedent for some of these things; for example, the IRE's PGAC. It belongs, in the name of the IRE, to the AACC which is tangled up with two or three other U. S. organizations and in turn belongs to the International Federation for Automatic Control.

Grosch: Think of the complications when the international group, whatever it is, tries to take action which requires ratification from this new super group, whatever it is; at best, as the child of a dozen other societies, some of which in turn belong to other groups—oh boy, this can get complicated!

Gorn: When the goals were small and the groups were small, we were able to get somewhere, but when it gets big like this we're having trouble in trying to act. The International Algebraic Language (IAL) agreement came about because there were few people involved and the thing they were trying to do wasn't too big.

Grosch: You sound like you're for it. I think that thing was bootlegged!

\*In spite of the ACM.

Rubinoff: I'll put it differently. If the societies that exist today don't provide the services that their members require then there will be more societies. That's why there's a Simulation Council and an International Federation on Automatic Control (IFAC). It accounts in part for the formation of SIAM. It gets to be a real problem to decide who in the IRE or the AIEE should be a representative to the AACC (The American Automatic Control Council), who should be a representative on the NJCC and why. There isn't any real answer to why, it's just an historical development.

Minett: One conclusion we could certainly draw. If the organization we're talking about is the organization of organizations, it certainly should be open-ended. In this way, it can handle new interests as they arise, and we certainly have seen a lot of new interests arise in the last few years.

Armer: If anyone is interested, the committee's report with respect to the International Federation on Information Processing will simply ask the participating organizations to join the NJCC, in terms of associate membership or something like that. Each of them would have just a vote with respect to IFIP. With respect to domestic matters it is felt that they should be allowed to slide for a while. Domestic matters should be discussed in the presence of these people but, for a while at least, they wouldn't have a vote.

Gorn: The higher the level of abstraction of this society, the longer it will take to act on any particular issue. Each action that it might want to take will have to filter down to all the member organizations who will then have to decide whether or not they like the action.

Rubinoff: That all depends on the constitution, Saul.

Gorn: Sure, if you make it too strong, they won't join; if you make it too weak, you won't get any action.

Tompkins: So, you've got to make it just right.

Grosch: Here's the biggest cancer in our whole racket and we've just thrown up our hands and said, "that's too bad, we can't do anything about it."

Gorn: I don't think so. I think Tommy's preamble is a marvelous thought.

\*Are you following the law which says: "Any problem that can be solved can be solved in an hour."?

Grosch: I'm thinking that any problem that can be solved can be stated!

Gorn: I'd suggest that the preamble be circulated and from that, decide on the next step.

Gruenberger: Isn't this logically the province of the JCC, itself?

Tompkins: Probably not.

Grosch: The whole thing comes about because the ACM is so impoverished in its thinking. They had the opportunity ten years ago and fumbled the ball.

Gorn: Right at the beginning, there were attempts to blow up in that direction, but people get frightened at Ed Berkeley's giant brain concept. Essentially, you're talking about something much bigger; something that even Ed Berkeley didn't recognize.

Grosch: A lot of people were scared in more ways than one. But there were clear clues later of what should have been done, long after the earliest birds had been prevented from doing any further damage. We had, for example, the first announcement of LEO's success in England. Then there were the early attempts to get UNIVAC's and 701's working on business problems. It was perfectly obvious that there would be a great deal of experimentation on using machines for business problems, and yet the Alts and the Householders brushed it all aside and made it quite clear that they couldn't care less.

Gorn: Well, at least now the Alts and the Hammings and the Householders are beginning to feel the way we do.

Grosch: Yes, but they're improving at the rate of 1 month per year and the world is going ahead at the rate of 12 months per year.

[There was a comment from Gorn at this point, essentially disagreeing, arguing that some significant progress was being made.]

Armer: You attended the last council meeting and you can still make that statement? What did they do? They appointed a Think Little committee!

Bright: Whether or not you approve of the results, a group from the ACM did go to Europe to work on IAL. Now, the ACM is almost refusing to let anything good happen from it.

Gorn: That's nothing to worry about. If IAL works properly everyone will hear about it and eventually ACM will have to accept it.

Armer: You're essentially saying that "murder will out" and I don't believe it.

Rubinoff: I think Saul is right. Something will come of it: there will be two more organizations.

Grosch: If IAL flies it's almost *prima facie* evidence that it's no good. I'm just that bitter about the whole business. We seem to do everything out of phase these days; there's been a curse on it from the very beginning. Whenever we get something good going, some character with a personal interest in some divergent direction goes running off with it. I think IAL, which a lot of narrow professional interests have become excited about, just showed the weakness of a lot of organizations already in the field.

Rubinoff: You mean it's been a good thing that they did it, but a bad thing that the organization did not do it.

Grosch: That's right.

Granholm: Paul had a good expression for it, but I think there's an old Oklahoma expression that describes it even better and that's, "If you think like a weenie, you are a weenie."

\*Maybe we ought to impeach the Council.

Grosch: Well, I came very close to proposing that. I was going to ask for the mailing list!

(Concluded next issue)

**How to make  
your move  
without  
making a  
move...**



• Tired? We've made it easy for you. Western Union, open-handed and large-hearted as ever was, has agreed to bring us your message at *no cost to you*. All you do is hand Western Union the blank below (tear out the whole page, if you feel strong enough) with check marks in the right places. We do the rest.

For example, we'll send you information about the broadly varied opportunities at *tech/ops*, and an illustrated brochure about this medium-sized and growing research and development firm with the usual benefits and an *unusual* profit-sharing plan. But do it today.

DOMESTIC SERVICE	
Check the class of service desired; otherwise this message will be sent as a fair telegram	
TELEGRAM	
DAY LETTER	
NIGHT LETTER	

\$  
\$  
E

# WESTERN UNION TELEGRAM

1906 (4-55)

W. P. MARSHALL, PRESIDENT

INTERNATIONAL SERVICE	
Check the class of service desired; otherwise the message will be sent at the full rate	
FULL RATE	
LETTER TELEGRAM	
SHORE SHIP	

NO. WDS.-CL. OF SVC.	PD. OR COLL.	CASH NO.	CHARGE TO THE ACCOUNT OF	TIME FILED

Send the following message, subject to the terms on back hereof, which are hereby agreed to

I am now a

- ✓ ☐ senior mathematician with a Ph.D. in mathematics or physics and experience with digital computers and modern programming techniques 1
- ☐ analysis division director with a Ph.D. and eight years of experience since my B.S. or B.A. degree 2
- ☐ senior OR analyst with a graduate degree in mathematics or the physical sciences and experience in OR and/or systems analysis 3

☐ associate OR analyst with a graduate degree in mathematics or the physical sciences 4

☐ research aide 5

I am interested in hearing more about positions available at tech/ops.

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_ TELEPHONE \_\_\_\_\_

Mr. Kingsley S. Anderson

**Technical Operations, Incorporated**

Washington Research Office

3520 PROSPECT STREET, N. W. • WASHINGTON, D. C.

**tech/ops**

Circle 71 on Reader Service Card.



ENGINEERS • SCIENTISTS

General Electric's Heavy Military Electronics Dept.  
**AWARDED CONTRACT FOR**  
Systems Integration, Engineering, and Management of...  
**AIR WEAPONS CONTROL SYSTEM 212L**

*A universal electronic control system to meet the vast problem of Air Defense outside of the Continental United States*

Systems-oriented engineers and scientists will appreciate the broadband technical challenge of the Air Weapons Control System 212L. There are important openings for men who are experienced in:  
WEAPONS SYSTEMS ANALYSIS • MATHEMATICAL ANALYSIS OF ENGINEERING PROBLEMS • COMPUTER PROGRAMMING • MILITARY COMMUNICATION SYSTEMS • RADAR SYSTEMS • WEAPONS CONTROL SYSTEMS • ELECTRONIC CIRCUITRY • INDUSTRIAL & MILITARY PSYCHOLOGY.

● Working in close cooperation with the USAF, it is Heavy Military's responsibility to integrate all subsystems—data acquisition, communications, data processing and display—plus various defensive weapons into a well coordinated and efficient operating system.

**VERSATILE AIR CONTROL APPLICATIONS** The revolutionary 212L can be used to defend a single airfield, or, by linking control sites together, it could be used in a limited action to provide air control for an area the size of Alaska. Similarly, by linking the capabilities of countries together, a system could be provided for the air control of an en-

tire continent. Designed for both fixed and mobile applications, the 212L will be used primarily outside the U. S. since the SAGE system is used for the defense of this country.

**HMED IS ALSO DESIGNING THE "HEART" OF THE SYSTEM**

In addition to its prime mission of providing systems management, HMED will design, develop and produce the data processing and display subsystem which is the "heart" of the 212L. Capable of rapidly and automatically detecting and tracking air targets, the subsystem operates without human assistance, except under unusual circumstances.

**OTHER FAR-RANGING PROGRAMS AT HEAVY MILITARY**

*At the present time additional far-ranging programs are being pursued in diverse and important areas at HMED:*


- Fixed & Mobile Radar
- Shipborne Radar
- Underwater Detection Systems
- Missile Guidance
- Data Handling Systems
- Communications

Individuals with experience in systems analysis or specific equipment design in the areas listed above are invited to forward their resume in complete confidence to Mr. George Callender, Div. 56-BMG.

HEAVY MILITARY ELECTRONICS DEPARTMENT  
**GENERAL  ELECTRIC**  
COURT STREET SYRACUSE, N. Y.

Circle 72 on Reader Service Card.





## DATAMATION *abroad*

### WHICH WAY IS LE BULL GOING? UP!

A trend away from word mincing seems to be in evidence among computer manufacturers these days and last month from over the waves the outspoken bellow of the Bull could be heard. Compagnie des Machines Bull in Paris claims to be the largest manufacturer of electronic computers in Europe and the third largest in the world. Two English firms would challenge the first claim and there are at least three firms in two countries who would take exception to the second (see "from the editor . . .").

Since 1950, Bull equipment has been exported to this country under the label of Remington Rand. Over \$2,000,000 worth of Bull components was exported to the American firm in 1957 alone. Bull's contract with RemRand expires in August 1960 and, according to a New York Times article (June 14, 1959) Bull has made it clear that they will not renew under existing terms. Georges Vieillard, Bull general manager, came to the United States in February and May of this year "to explore possibilities" with Remington Rand. Again according to the Times, Bull proposed full partnership so that if a new agreement were drawn up with RemRand all Bull products marketed in this country would bear a nameplate which would read "Remington Rand--Bull." The Times states that the French company is not irrevocably committed to a Remington Rand partnership. They are reportedly currently dickering for a contract with Burroughs and other U.S. computer manufacturers. Burroughs now has an agreement with Bull for selling the French firm's magnetic tape units.

As the result of Vieillard's interest in the punch card patents of a young Norwegian engineer, Frederic Bull (from whom the company took its name), the firm was established in 1931 with a capitalization of \$4,000. Although Vieillard was soon offered a purchase price from America, he sought French help in maintaining his young firm. He received it from the Callies family, who control roughly 70% of the stock at present, although the company is now a public one.

### ICC, ROME, WILL GET TWO MACHINES

From declarations made by observers of several countries, it appears that the Convention establishing the International Computation Centre in Rome, Italy, has a good chance of becoming a fact, soon.

Under these conditions, the Preparatory Committee decided to accept the offers of two manufacturing suppliers, Olivetti-Bull and IBM-France, to install computers free of charge at the Centre before the end of 1959, under short-term agreements providing for the operation of these machines on a share basis. It will thus be possible for the Centre to install more modern equipment at a later date. The contracts will be signed as soon as the countries interested in the Centre have undertaken commitments giving sufficiently firm assurance for the financing of its activities in 1960.

ELECTRICAL ENGINEERS • MATHEMATICIANS • PHYSICISTS

# EXPLORE



a  
new  
uncharted  
area  
in  
data processing

*at—RCA's New Astro-Electronic Products Division, Princeton, New Jersey*

This new division makes available immediate creative opportunities in the general area of information handling and retrieval. Scope of work includes systems design; development analysis and synthesis; programming research and logical design; automatic language translation; and digital computer design and engineering.

To qualify scientists and engineers must be experienced in one of the following areas:

#### **OPERATIONS RESEARCH ANALYSTS**

Must be able to understand broad aspects of a problem as well as the application of details. Requires knowledge of digital computers so that problems may be organized for applications and analytical ability in logical application and deductive reasoning. Minimum of two to three years of experience with broad range of interests.

#### **SENIOR PROGRAMMING ANALYSTS**

Experienced in programming for large scale computers, such as IBM 704, 709, or 650, Univac or Datatron. Experienced with compilers

and automatic coding techniques. Ability to analyze complex, non-routine, non-numerical problems for programming. Ability to draw detailed flow charts. Also ability to code and direct coders.

#### **RESEARCH AND DEVELOPMENT ENGINEERS**

Electrical engineers or physicists experienced in design and/or development in the following areas:

- Advanced Digital Computer System Design
- Digital System Logical Design
- Digital System Design & Research
- Digital Data Handling Systems Design

A government security clearance is required of all project personnel.

For a personal interview, communicate with

**MR. D. D. BRODHEAD**



CALL COLLECT, HIGHTSTOWN 8-2100

OR SEND RESUME TO DEPT. PE-77



Circle 73 on Reader Service Card.


## FROM LAGRANGIAN TO LIFT-OFF

Sometimes forgotten during the thundering ascent of a space probe rocket are months of meticulous analysis, engineering and planning. The staff of Space Technology Laboratories is now engaged in a broad program of space research for the Air Force; the National Aeronautics and Space Administration and the Advanced Research Projects Agency under the direction of the Air Force Ballistic Missile Division. For space probe projects STL provides the total concept approach, including preliminary analysis, sub-system development, design, fabrication, testing, launch operations and data evaluation. The total task requires subtle original analysis in many fields as well as sound technical management.

The STL technical staff brings to this space research the talents which have provided system engineering and technical direction since 1954 to the Air Force Ballistic Missile Program. Major missile systems currently in this program are Atlas, Titan, Thor and Minuteman.


The scope of STL's responsibilities offers creative engineers, physicists and mathematicians unusual opportunities to see their ideas tested in working hardware. Inquiries are invited regarding staff openings in the areas of Advanced Systems Analysis, Rocket Propulsion, Space Flight Mechanics, Dynamics, Structural Analysis, and Aerodynamics.

**Space Technology Laboratories, Inc.**  
P. O. Box 95004, Los Angeles 45, California



$$L = \frac{m}{2} (\dot{r}^2 + r^2 \dot{\theta}^2 + r^2 \sin^2 \theta \dot{\phi}^2) + \frac{GMm}{r}$$





## new products in DATAMATION

### computer transistors

Eight types of alloy germanium computer transistors — consisting of four P-N-P and N-P-N pairs — have been in volume production by the manufacturer for more than one and one-half years. All available production capacity had previously been furnished to the IBM Corp. for use in their computer programs. Production capabilities have expanded to the point that these alloy computer transistors are now available to the entire industry. All eight transistors feature emitter to base voltages of 25 volts and collector to emitter voltages ranging from 15 to 25 volts for the four complementary pairs. The collector to base voltage for P-N-P series is 30 volts and for the N-P-N types, 25 volts. All transistors also highlight a 300 ma collector current, 300 ma emitter current and a total device dissipation of 150 mw. For information write TEXAS INSTRUMENTS INC., P.O. Box 312, Dallas, Texas, or use reader card.

Circle 200 on Reader Service Card.

### digital data systems

Soon to be marketed is a recently completed line of standardized digital data systems. Included are the RATE



series automatic telemetry systems (FM/FM-to-digital, PAM-to-digital, PDM-to-digital systems), Model RS-104 direct computer entry digital recorders (pictured), ADDAVERTER analog-digital computer linkages and DATAVERTER computer language translators. For information write EPSCO, INC., 275 Massachusetts Ave., Cambridge, Mass., or use card.

Circle 201 on Reader Service Card.

### amplifiers

These low-noise, completely solid-state amplifiers have a frequency response exceeding -3 db at 200 KC,




100 meg input impedance, gain accuracies to  $\pm .002\%$ , linearity at .005% minimum and less than .01% noise peak-to-peak, from any source. Each unit is completely self powered. For information write PACKARD BELL COMPUTER CORP., 1905 Armacost Ave., Los Angeles 64, Calif.

Circle 202 on Reader Service Card.

### laminated plastic

EP-37 was developed to reduce the risk of fire in computer printed circuits. A new adhesive is used to se-



cure the copper to the base laminate so that EP-37 also offers resistance to plating solutions. Pictured left, a resistor was intentionally overloaded until it burst into flame. After the resistor burned out (right) the flame had caused no damage to EP-37 other than the slight charring noted. For information write FORMICA CORP., 4614 Spring Grove Ave., Cincinnati 32, Ohio, or use reader service card.

Circle 203 on Reader Service Card.

### diode

A pinhead-size electronic device similar to a standard low-power transistor is known as a tunnel diode. It has potential applications as a memory element in ultrahigh-speed computing systems. The diode is fashioned of a

### videograph

A high-speed electronic process capable of translating computer language and printing or displaying the resulting information at the rate of up to 20,000 letters, numbers, and symbols per second has been developed by A. B. Dick Company, 5700 West Touhy Ave., Chicago 31, Ill.

The system which has been named the Videograph process can read and translate binary pulses directly from a computer or from magnetic tape, paper tape or directly from punched cards. It can either print the translation or display it on a television screen.

Computer or facsimile information can be reproduced on cards, labels or sheets up to legal size for distribution or filing.

The new system has been under development since early 1955, when A. B. Dick Company began sponsorship of a research program at Stanford Research Institute. The research resulted in a special cathode ray tube called an electrostatic printing tube, a basic instrument of the printing device.

The equipment is able to print material at a number of different geographical locations from a single sending source. It is also capable of reproducing graphic material and computer information simultaneously and print them on one printed form.

When used to print or display computer language, the brain of the system is an electronic device known as a character generator, which translates the pulse language into television-type signals representing alphanumeric symbols. These are then fed into the electrostatic printing tube or an ordinary television receiver, which converts the video signals into a printing record or a visual display.

The electrostatic printing tube makes possible remote reproduction of pictorial and graphic information, when units are connected by a coaxial cable or microwave link.

Circle 204 on Reader Service Card.

**GERBER PRESENTS -**

## **ANALOG-DIGITAL DATA REDUCTION SYSTEM COMPLETE - FOR LESS THAN \$9000**

★  
Variable speed paper transport with instant braking, reversible.

★  
Scale factors and "O" offsets for 15 channels.

★  
Reads transparent and opaque records.

★  
Optional features—  
Peak-to-peak reader.  
Output to IBM keypunch.  
Output to punched paper tape.  
Projection system for film.



★  
Four-digit readout, reads Y and frequency and X continuously.

★  
Time index counter and display.

★  
Program selector for 15 channels, for either X, Y or frequency.

★  
The digital voltmeter included in the program console may also be used for other applications.

We do not have to tell you what a moderate price this is! Demonstrations are now being arranged. Complete specification sheets are available. Write for full details.



**GERBER SCIENTIFIC INSTRUMENT CO., 89 SPRUCE ST., HARTFORD, CONNECTICUT**


Circle 13 on Reader Service Card.

tiny piece of germanium crystal only 3/1000 of an in. in diameter. The experimental unit has been operated in the laboratory at frequencies higher than 1,000 megacycles—1 billion cycles per second—with a potential range in the future to beyond 10,000 megacycles, according to the manufacturer. The device employs a principle known as negative resistance. For information write RADIO CORPORATION OF AMERICA, David Sarnoff Research Center, Princeton, N.J., or use reader service card.

Circle 205 on Reader Service Card.

### **magnetic drum**

A custom-designed magnetic storage drum with a capacity of 360,000 bits total storage uses 240 storage chan-



nels, each of which contains 1,500 bits. The drum is 5 in. in diameter

and approximately 12 in. long. Operation is at 96 pulses per inch and 3,600 rpm, giving a pulse repetition rate of 90 kc. The drum has two mechanical clock tracks, one of which has 1,500 bits and the other of which is a one-bit index. For information write BRYANT COMPUTER PRODUCTS DIVISION, Box 620, Springfield, Vermont, or use reader service card.

Circle 206 on Reader Service Card.

### **delay line**

Model 71-50 is a relay operated, dual channel delay line, designed to obtain coincidence between two signals of different time and a third reference signal. Some characteristics—delay is 1 to 1.5 usec., independently variable in each channel in increments of 0.05 usec., impedance—1000 ohms; output rise-time—0.06 usec. per channel; dimensions—8 x 4 x 4 in. For information write ESC CORP., 534 Bergen Blvd., Palisades Park, N.J.

Circle 207 on Reader Service Card.

### **control chassis**


Rapid acquisition of data and its storage and translation are key features of Model K-111 control chassis.

The unit translates binary-coded inputs into decimal or binary-coded outputs, and upon command stores the input information for remote readout. The new control chassis has been designed to utilize transistor storage of encoder data and combines this buffer storage input with relay output. The unit is capable of three modes of operation: as required it will store only, follow only, or follow and store on command. For information write DATEX CORP., 1307 S. Myrtle Ave., Monrovia, Calif., or use reader card.

Circle 208 on Reader Service Card.

### **logic-memory device**

The Paramistor is a module composed essentially of 25 bi-stable elements, known as Parametrons, which are ca-




pable of self-limiting amplification. By eliminating the need for additional amplifying and amplitude-limiting circuits, the Paramistor substantially

simplifies computer circuitry, according to the manufacturer. The manufacturer also claims that its basic element, the Parametron ferrite, has demonstrated long-term reliability exceeding that of such devices as relays, vacuum tubes, diodes and transistors. It can be used in AND, OR or NOT logic circuits, and in binary counter, clock, binary adder, binary multiplying and parallel-to-serial converting circuits. For information write KANEMATSU NEW YORK, INC., 606 S. Hill St., Los Angeles, Calif., or 150 Broadway, New York 38, N.Y.

Circle 209 on Reader Service Card.

#### switch assemblies

Data sheet 162 describes a new series of rotary selector switch assemblies that feature a cock-and-fire actuating



mechanism and non-tease circuitry. Series 28AS assemblies are for use on

computer panels and other areas where mounting surface is at a premium. They can be provided with 2 to 8 plastic enclosed, single-pole, double-throw, basic switches. For information write MICRO SWITCH, Freeport, Ill., or use reader card.

Circle 210 on Reader Service Card.

#### instrumentation recorder

Displacing 1.6 cubic feet, this instrumentation recorder, the AR-200, affords its user seven to thirty-two re-



cording tracks of data depending upon the recording technique selected. For highest frequency response (up to 100,000 cycles at 60 inches per second) there is direct recording. For greatest amplitude accuracy, frequency modulated carrier recording preserves signal amplitudes over a frequency range of from dc to 10,000 cycles per second. For recording the maximum number of data samples,

the AR-200 can record digital information at input rates up to 576,000 bits per second. For information write AMPEX CORP., Instrumentation Division, 934 Charter St., Redwood City, Calif., or use reader card.

Circle 211 on Reader Service Card.

#### mag tape amplifiers

Model 921 family of write/read amplifiers affords a wide choice of characteristics. Tape speeds from 1 in/sec. to 150 in/sec. can be accommodated with a response to minimum signal levels as low as 150 micro volts. Designed for compatibility with existing return to zero and non-return to zero recording systems, this amplifier equipment offers a choice of DC level or pre-selected pulse width for output use. DC level or pulse is also acceptable for input to write amplifier. For information write POTTER INSTRUMENT CO., INC., Sunnyside Blvd., Plainview, N.Y., or use reader card.


Circle 212 on Reader Service Card.

#### register and driver

Production of Model CTR-400 magnetic shift register element (one core per bit) and compatible shaper-

## GERBER PRESENTS -

### AN OSCILLOGRAM SCANNER THAT TRACKS YOUR RECORD!



**\$595.00**

FOR 12" MODEL.

**\$625.00**

FOR 16" MODEL.

\$95.00 extra for Variable Scale with mounting attachment.  
F.O.B. Hartford, Conn.  
Terms: Net 30 days.

### GENERAL SPECIFICATIONS

- \* RECORD WIDTH—0 to 12", 0 to 16".
- \* RECORD SPEED—0 to 100 ft. per minute.
- \* TOP—Fully illuminated 24" long surface.
- \* CONTROLS—On or off, forward and reverse, variable record speed.
- \* RESPONSE—Instant positive braking.
- \* RECORD CORE INSIDE DIAMETER— $\frac{3}{4}$ ".  
Any longer core diameter can be built up with a false core enlarger.
- \* MAXIMUM ROLL DIAMETER—6".
- \* LOADING—Cantilever bars—no paper threading required.
- \* CURSOR—12" or 16" long.

#### This Free Trial Offer Proves It!

From extensive testing, we know that you must be satisfied with this scanner. We are so confident it will work for you that we ask you to specify 7 day free trial on your purchase order.

Order now—or write for full details.



GERBER SCIENTIFIC INSTRUMENT CO., 89 SPRUCE ST., HARTFORD, CONNECTICUT

Circle 14 on Reader Service Card.





No  
moving  
parts in

## FERRANTI Magnetostriction Delay Lines



Ferranti engineers have a depth of experience unmatched in this specialty. We can provide stock units that have been proved in performance — or custom design to your special applications.

Features that characterize Ferranti Delay Lines:  
Temperature stable . . . wide temperature operating range . . .  
High digit rates up to 1 Mc/s for delays up to 3 milliseconds  
. . . Small size, light weight . . . No moving parts . . . Low  
cost, highly reliable elements for delay, storage and correlation  
— fixed and variable.

*Write for detailed literature*



### FERRANTI ELECTRIC, INC.

#### ELECTRONICS DIVISION

95 MADISON AVENUE HEMPSTEAD, N. Y.

Circle 15 on Reader Service Card.

### NEW PRODUCTS

driver element, Model CTD-400 has been announced. CTR-400 output signal has a 50:1 one/zero ratio. Designed for ease of transistor driving, the shift register has a tape voltage drop on the shift line of 0.4 volts for a ONE. The output signal can be either a positive or a negative twelve-volt pulse for a ONE. Terminals are available as solder lug, plug-in and printed board mounting. For information write DI/AN CONTROLS, INC., 40 Leon St., Boston 15, Mass.

Circle 213 on Reader Service Card.

### switching transistors

The manufacturer has made available a switching transistor sampler pack which will enable designers of computer equipment to obtain delivery on small quantity orders. The new packages contain three each of six NPN types designed and tested for Beta stability, reliability, uniformity and other characteristics important to computer applications. Included in the pack are types 2N356, 2N357, 2N358 with 100 mw dissipation and types 2N377 and 2N388 with 150 mw dissipation (base internally connected to case for added dissipation). For information write SYLVANIA ELECTRIC PRODUCTS, INC., 1740 Broadway, New York 19, N.Y.

Circle 214 on Reader Service Card.

### random access memory

Series RB memories will accept pulses or levels of either polarity, and input may be changed at any time during operation. Either binary or binary coded decimal addressing is possible or the units may be utilized in a sequential nonregenerative mode. The new memory-buffer units are available in capacities from 128 to 1,024 computer words or from 4 to 24 binary bits per word. These units operate at a 200-kilocycle rate, loading or unloading a word in 5 microseconds. For information write TELEMETER MAGNETICS, INC., 2245 Pontius Ave., Los Angeles 64, California.

Circle 215 on Reader Service Card.

## NEW DATAMATION LITERATURE

**TELEMETRY BROCHURE:** The MARK I basic short delivery automatic PDM-to-digital computer format telemetry data system, is described in a four-page illustrated brochure. Some features include, accuracies in excess of 0.1%, conversion of PDM information to direct digital magnetic tape in exact computer format, accepts any IRIG PDM input signal in "real time" or twice "real time," accepts any arbitrary time code. Specifications and block diagrams are included in the brochure. For copy write EPSCO, INC., 588 Commonwealth Ave., Boston, Mass., or use reader service card.

Circle 260 on Reader Service Card.

**TAPE SIGNAL DROPOUTS:** "Reduction of Dropout Errors in Magnetic Recording Systems," is the title of a four-page bulletin, No. 37, which discusses methods of reducing signal dropouts in magnetic tape. For copy write MINNESOTA MINING & MANUFACTURING CO., Dept. E9-200, 900 Bush Ave., St. Paul 6, Minn., or use reader service card.

Circle 261 on Reader Service Card.

**LINEAR PROGRAMMING:** A six-page pamphlet outlines this company's linear programming service. Included is an explanation of the technique, results which may be expected and examples of linear programming and other operations research techniques applied to business and industrial problems. For copy write C-E-I-R, Inc., 1200 Jefferson Davis Highway, Arlington, Va., or use reader card.

Circle 262 on Reader Service Card.

**PUNCH UNIT:** How to increase the efficiency of electronic data processing with the use of programmatic add-print-punch units, is described in two single page illustrated leaflets, BS-8 and BS-9. For copies write CLARY CORP., Systems Division, 408 Junipero St., San Gabriel, Calif.

Circle 263 on Reader Service Card.

**TUBES MANUAL:** The 11th edition of a technical manual lists the characteristics and ratings of over 1,800 electron devices manufactured by

AVAILABLE



NOW

# MODULARIZED RANDOM ACCESS MEMORY

8 1/2 SEC.  
CYCLE TIME

COMPUTER CONTROL COMPANY announces the availability of its new all-transistor, coincident current, ferrite core, high speed, random access memory.

### FEATURES:

- Word capacities up to 4096 words (you specify).
- Word lengths up to 40 bits/word (you specify).
- Access time to any address — 4  $\mu$ sec.
- Cycle time — 8  $\mu$ sec.
- Modular plug-in etched circuits.
- High reliability and ease of maintenance.




Write for  
eight-page  
Bulletin TCM

**COMPUTER  
CONTROL  
COMPANY, INC.**

92 BROAD STREET  
WELLESLEY 57, MASSACHUSETTS

WESTERN DIVISION  
2251 BARRY AVENUE  
LOS ANGELES 64, CALIFORNIA



Circle 16 on Reader Service Card.

## DISCOVER the DI/AN DIFFERENCE

... in buffer storages,  
for example:

Our {flexible} control {Buffers offer



every operating mode and data-transformation control option you need, including:

Partial Load/  
Unload, Reversible Load  
/Unload, Non-Destructive  
Unload, Special Sequences,  
Parity Check, "Corner - turning",  
Data Reorganization.

Character - rates  
to 200 KC!  
Bit-rates to 2 mc!  
Capacity to 4,032  
characters!  
Up to 12 bits/  
character!

Write for  
Catalog  
D-592

... no need to wait months for "specials". We have field-tested designs for every option listed!

... no need to overpay. Buy only what you need.

Each {flexible} control {feature is independently available!}



ALSO PRODUCES:  
RANDOM-ACCESS CORE MEMORIES  
MAGNETIC-LOGIC MODULES  
CORE-TRANSISTOR SHIFT REGISTERS  
DIGITAL/ANALOG SYSTEMS

ALL WITH THE  
DI/AN DIFFERENCE

DI/AN CONTROLS, INC.

Magnetic Digital-Analog Systems and Components  
40 Leon Street  
Boston 15, Mass.  
TWX Roxbury, Mass. 1057  
HIGHLANDS 5-5640

Circle 17 on Reader Service Card.

this company - including technical data on 110 transistors and 138 crystal diodes. For copy send \$3 to SYLVANIA ELECTRIC PRODUCTS, INC., 1740 Broadway, New York 19, N.Y.

**CHARACTER SENSING:** A 24-page booklet, G22-8500, describes company's series 1200 character sensing equipment for banks. Incorporating the recommended specifications of the American Bankers Assoc., this brochure includes details on the 1201 proof inscriber, 1202 utility inscriber, 1210 sorter-reader, 1220 sorter-reader control and 729 II magnetic tape unit. For copy write INTERNATIONAL BUSINESS MACHINES CORP., 590 Madison Ave., New York 22, N.Y.

Circle 265 on Reader Service Card.

**TAPE EQUIPMENT:** A 12-page, illustrated catalog, CAT 4-59, introduces this company's complete line of transistorized tape transports, read-write heads, record-playback amplifiers and accessories. Descriptions and specifications of each unit is included. For copy write - on company letterhead - POTTER INSTRUMENT CO., INC., Sunnyside Blvd., Plainview, N.Y.

**CORE STORAGE BUFFER:** No. AD-14, four-page leaflet entitled "Increasing Computer Capacity and Flexibility by Magnetic Core Buffering," describes how the application of this company's core storage buffers extended the scope of a UNIVAC computer to make a powerful data processing system. For copy write TELEMETER MAGNETICS, INC., 2245 Pontius Ave., Los Angeles 64, Calif., or use reader service card.

Circle 267 on Reader Service Card.

**ANALOG/DIGITAL RECORDER:** Eight-page catalog 35-1541 describes shaft-input device that converts and records analog values in digital binary-decimal punched tape form and at the same time provides digital values in electrical form for telemetering or other purposes. For copy write FISCHER & PORTER CO., 151 Jacksonville Rd., Hatboro, Penna.

Circle 268 on Reader Service Card.

**USER REPORT: S-509,** is a paper by Paul Seligmann, R & D Laboratories, Portland Cement Assoc., describing the problems that led to their acquisition

## DISCOVER the DI/AN DIFFERENCE

... in magnetic logic  
modules, for example:

Our compact "Interlocks" and their microscopic counterparts, our "Logic-squares," perform any logic-al function:



AND, OR, AND NOT (INHIBIT), COMPLEMENT, BINARY COUNT, BRANCH, EXCLUSIVE OR, TRANSFER, DRIVE, STORE ... with only one logic element!

With greater reliability and at much lower cost than any other technique now available.

Unique magnetic-core-transistor circuitry operates with full margins to 100KC.

Write for  
Catalog  
D593

... not sensitive to normal power supply variations or extremes of ambient temperature.

... no diodes, transistors, or external circuitry required. You furnish only the signals.

WONDERFUL SHORT CUT TO MAGNETIC LOGIC TECHNIQUES! Write for the free DI/AN "Applications Handbook #H-359," 16 page profusely illustrated, packed with information!



ALSO PRODUCES:  
BUFFER STORAGE  
RANDOM ACCESS CORE MEMORIES  
CORE TRANSISTOR SHIFT REGISTERS  
DIGITAL/ANALOG SYSTEMS

ALL WITH THE  
DI/AN DIFFERENCE

DI/AN CONTROLS, INC.

Magnetic Digital-Analog Systems and Components  
40 Leon Street  
Boston 15, Mass.  
TWX Roxbury, Mass. 1057  
HIGHLANDS 5-5640

Circle 18 on Reader Service Card.



of an LGP-30 small digital computer, the uses it has been put to and the benefits derived. For copy write ROYAL McBEE CORP., Port Chester, N.Y., or use reader service card.  
Circle 269 on Reader Service Card.

**PLOTTER:** Reprints of a technical article describes an electronic function plotter. The plotter combines analog and digital electronic techniques to achieve curve-plotting accuracy of 0.01% for frequencies ranging from 3 cps to over 400 KC. For copy write COMPUTER EQUIPMENT CORP., 1931 Pontius Ave., Los Angeles 25, Calif., or use card.  
Circle 270 on Reader Service Card.

**MAGNETIC TAPE:** Multichannel magnetic tape system for laboratories, test cells, telemetering recording and other precision applications, is described and illustrated in a new 24-page catalog, DC-3171. For copy write MINNEAPOLIS-HONEYWELL REGULATOR COMPANY, 10721 Hanna Street, Beltsville, Md.  
Circle 271 on Reader Service Card.

**CONNECTOR CATALOG:** A 24-page comprehensive catalog covers a wide variety of printed circuit connectors which accommodate 1/16 in., 3/32 in., or 1/4 in. printed circuit cards. Included in the illustrated catalog are complete specifications, outline dimensions, general information and suggested applications. For copy write DEJUR-AMSCO CORP., Electronic Sales Div., 45-01 Northern Blvd., Long Island City 1, N.Y.  
Circle 272 on Reader Service Card.

**FLIGHT COMPUTER:** Four-page bulletin 500 gives details and applications on the Model 500 Jet Aircraft Flight Computer . . . an analog computer designed to preselect the optimum flight path for a jet aircraft on a domestic, overseas, or charter route. For copy write COLORADO RESEARCH CORP., Broomfield, Colorado, or use reader service card.  
Circle 273 on Reader Service Card.

**SYMPOSIUM PROCEEDINGS:** Proceedings of the 1958 Computer Applications Symposium, October 1958, including 14 papers and transcripts of panel discussions is now available. For copy send \$3 to ARMOUR RESEARCH FOUNDATION, Main Files: CA-5, 10 W. 35th St., Chicago, 16, Illinois, or use reader service card.




THIRD IN A SERIES

## TRAJECTORIES- NEW APPROACHES FOR AN OLD PROBLEM

A STIMULUS TO BOLD SCIENTIFIC THINKING  
AT SYLVANIA'S DATA SYSTEMS OPERATIONS

Consider the progression of complexity in the prediction of trajectories. Prehistoric man controlled the accuracy of a thrown stick or stone by judgment alone. The Romans made rough calculations that included elevation, lever angle and projectile weight when aiming siege ballistae. With the advent of gunpowder the science grew — elaborate range tables were formulated in which even temperature was an important factor. Times, and with them, weapons change — until today they include the 6,500 mile hypersonic ICBM.

At Sylvania's Data Systems Operations, engineers are meeting the challenge posed by the progression of complexity. One of the many challenging programs under way is BMEWS, the USAF's Ballistic Missile Early Warning System. This sophisticated system — embodying revolutionary techniques — will have the capability of predicting the trajectories of enemy ICBMs in time for us to deploy anti-missiles to destroy them.



The mission of the Data Systems Operations is to achieve growth and further prominence in the fields of data processing and data conversion systems and allied equipment — constantly making available to Systems customers, through increased business and continued excellence of performance, our know-how and facilities for engineering, research, development, manufacturing and marketing. There are immediate openings for:

■ **ELECTRONIC ENGINEER.** BSEE, 1-3 years experience in development. Work will consist of checking logical design block diagrams, evaluating basic circuit design; design of special switching circuits; bread-board system design, layout, testing; prototype system design and layout; preparation of test procedures and final systems testing.

■ **SENIOR ENGINEER.** BSEE plus 4-7 years diversified experience in radar systems, digital and analog circuitry, CRT, storage tube and related displays and some supervisory experience. Responsible for design, development and testing of electronically programmed radar target simulators for use with large-scale radar data conversion systems.

■ **MECHANICAL ENGINEER.** BSME and 3-5 years experience in design of packaging electronic equipment requiring consideration of environmental stress effected by physical design. Experience should include component evaluation.

■ **ELECTRONIC ENGINEER.** BSEE and 3-5 years experience in design and analysis of transistorized electronic circuitry including experience in evaluating effects of environmental stress on performance.

Please send resume to J. B. Dewing  
Data Systems Operations / SYLVANIA ELECTRONIC SYSTEMS  
A Division of

**SYLVANIA**

Subsidiary of  
GENERAL TELEPHONE & ELECTRONICS

189 B Street — Needham 94, Massachusetts

Circle 74 on Reader Service Card.

Autonetics  
Professional Personnel Dept.  
9150 E. Imperial  
Downey, Calif.

July 15, 1956

Dear Mr. Benning:

I am interested in a responsible position which will more fully utilize my experience and education. I graduated with a Masters Degree in Electrical Engineering in 1952 and for the past four years I have been doing research and development on both analog and digital computers. Though my present job is satisfactory I wish to

## This letter moved an engineer ahead 5 years

Two years ago a man took 10 minutes to write this letter. Today he enjoys the responsibility and professional standing in the Autonetics Division of North American that might have taken 5 years to achieve elsewhere.

### COMPUTERS AT AUTONETICS—A FIELD OF OPPORTUNITY

At Autonetics we have concentrated on developing original techniques in transistor circuitry, miniaturization, and quantity manufacture of precision components. For only with these new arts is it possible to create computers so small, rugged, reliable—yet so big in performance—that they can meet the demands of the space age or the increasingly complex problems of industry.

Our engineers have designed and built both analog and digital computers—for inertial navigation, bombing-navigation, armament control, flight control and data processing equipment. Out of this experience, Autonetics built the first transistorized digital computer of true general purpose capacity.

Today at Autonetics there's a respected combination of scientists, engineers, and production men constantly forging ahead into vital new technologies. Every state of the art is represented, from preliminary conception right through manufacturing. Facilities are the finest—and it's just a short jaunt to mountains, beaches or desert.

You owe it to yourself to consider how far you can advance by entering this exceptionally promising field right now. Here are the opportunities:

**LOGICAL DESIGN • SMALL COMPUTER PROGRAMMING • SYSTEMS DESIGN, DEVELOPMENT AND TEST • TRANSISTOR CIRCUITRY • MAGNETIC MEMORY • SYSTEMS INTEGRATION • FIELD SERVICE ENGINEERING.**

Write your letter today. Please include a resume of your qualifications. Decide now to investigate your opportunities at Autonetics. Reply will be prompt, factual, confidential.

Write Mr. F. G. Benning, Manager, Employment Services.  
9150 E. Imperial Highway, Downey, California


**Autonetics**

A DIVISION OF NORTH AMERICAN AVIATION, INC.



NERVE CENTER OF THE NEW INDUSTRIAL ERA

## You Get Things Done Better By Seeing What's Happening



### BOARDMASTER VISUAL CONTROL

- ★ Gives Graphic Picture of Your Operations in Color.
- ★ Facts at a Glance—Saves Time and Prevents Errors.
- ★ A Simple, Flexible Tool—Easily Adapted to Your Needs.
- ★ Easy to Use. Type or Write on Cards, Snap on Board.
- ★ Ideal for Production, Scheduling, Sales, Inventory, Etc.
- ★ Compact, Attractive. Made of Metal. 350,000 in Use.

Complete Price **\$49<sup>50</sup>** Including Cards

**FREE**

24-Page ILLUSTRATED BOOKLET CC-10  
Without Obligation

GRAPHIC SYSTEMS, 55 West 42nd St., New York 36, N. Y.  
Circle 19 on Reader Service Card.

Expanding the Frontiers of Space Technology in

### COMPUTER OPERATIONS

■ Lockheed Missiles and Space Division's computer center is one of the largest and most modern in the world. It is concerned with formula and data applications in more than 40 areas of science and technology.

The center serves both government and industry in the solution of complex mathematical problems. Digital computer programs have been used in such work as: strategy and logistics; stress and flutter analysis; static, wind-tunnel and flight testing; missile performance; aerodynamics; trajectory computations; financial forecasting; personnel assignments; cost accounting; control-systems analysis; and various problems involving numerical integration, simulation, curve fitting and numerical approximations. Work with analog computers includes the solution of problems in flight control stability; structural analysis; dynamic analysis; and simulation.

#### ENGINEERS AND SCIENTISTS

Lockheed's programs reach far into the future and deal with unknown and stimulating environments. If you are experienced in one of the above areas, or in related work, we invite you to share in the progress of a company that has an outstanding record of achievement and make an important individual contribution to your nation's efforts in the race for space. Write: Research and Development Staff, Dept. H-2-46, 962 W. El Camino Real, Sunnyvale, California. U.S. citizenship required.

**Lockheed**

MISSILES AND SPACE DIVISION


SUNNYVALE, PALO ALTO, VAN NUYS, SANTA CRUZ,  
SANTA MARIA, CALIFORNIA • CAPE CANAVERAL, FLORIDA  
ALAMOGORDO, NEW MEXICO • HAWAII

Circle 75 on Reader Service Card.

## elevated aluminum flooring

**ELAFLOR\***

**RECOMMENDED  
FOR COMPUTER  
ROOMS,  
BUSINESS  
MACHINE AREAS**



Provides a strong, elevated, fire resistant floor with free access to cables, air conditioning ducts, air and vacuum lines, telephone lines, etc. Elafloor...designed for computer rooms...business machine areas, etc. gives you these advantages plus the durability of extruded aluminum and the beauty of the floor covering of your choice.

Write for free Elafloor literature and installation examples

\*Pat. App. For



**LISKEY ALUMINUM, INC.**

Friendship International Airport, Box 506 Glen Burnie 4, Md.  
Circle 20 on Reader Service Card.

## TWO CHALLENGING DATA PROCESSING POSITIONS

**NEW YORK—EUROPE**

*We are looking for two highly qualified men with electronic data processing experience and management ability to serve as senior consultants in an internationally known, rapidly growing management consulting firm with headquarters in New York. Background should include at least 3-5 years experience in selling, planning, or operating automatic data processing installations in addition to several years of business experience. High salary commensurate with experience. These positions offer exceptional opportunity for advancement.*

Please send complete resume to:




John Diebold & Associates, Inc.

40 Wall Street  
New York 5, N. Y.

Circle 21 on Reader Service Card.





*This is the second half of a survey article covering paper tape equipment. DATAMATION asked appropriate manufacturers to furnish us with pictures and information covering their complete lines of paper tape readers, perforators and associated equipment. Last month we presented the products of nine manufacturers. Eight firms are represented on these pages.*

## BURROUGHS

**1** Paper tape punch model 470 punches at 60 characters/second and has a paper tape feeding rate of 6 in./sec. Its reel size is 8 in., and the tape handles 10 characters/in. It has a 7-level code (046-1 character/frame). The unit includes as automatic features alphabetic, bi-decimal translation, reeling and rewinding, parity generation and selective zero suppression.

Circle 101 on Reader Service Card.

**2** Photoreader Model 440 reads tape at 1,000 characters/second. Tape is fed at 100 in./second. It stops on a character and has a 5 millisecond start time. Seven-level code and a 40,000 characters/reel storage capacity are standard. Automatic features include emergency reel braking, rewind, program "float in" with B-register modification, and termination of reading by word count or by control information from the paper tape.

Circle 102 on Reader Service Card.

**3** Burrough's photoelectric reader provides input to a computer at a rate of 540 digits/second. Operation is controlled by computer commands or commands punched in the tape itself. Loading of information from tape into the computer may be intermittent.

Circle 103 on Reader Service Card.

**4** Model 454 tape preparation system punches, verifies, and duplicates input paper tapes for the 205 computer. The system consists of a control unit, a decimal keyboard, a motorized tape punch and a motorized tape reader. Using the 205 6-channel code, the 454 will produce tapes which contain a parity punch on a seventh channel.

Circle 104 on Reader Service Card.

**5** Developed as an input device for the 220 edps, the 58187 photoreader is a capstan drive, reel-type machine which reads perforated tape photoelectrically at 1,000 characters/second. It has rapid start time and the ability to stop positively on the stop character at all operating speeds. Within 5 milliseconds after initiation of the restart signal, the character immediately following a stop character can be read.

Circle 105 on Reader Service Card.

**6** The high-speed punch operates through the control console to reproduce output information from the 205 computer in 6-channel computer code at a rate of 60 digits/second. Paper tapes so produced can be used sequentially as input to the Flexowriter or to the computer via the photoelectric or mechanical reader.

Circle 106 on Reader Service Card.

## UT PAPER TAPE

Burroughs also has available for use with E101, tape input, output and duplex units. All operate at 20 characters per second and all can handle up to 8-channel tape. The company also manufactures a manual tape punch.

Circle 146 on Reader Service Card.

## TALLY

**7** Model 424 paper tape reader is a self-contained bi-directional asynchronous reader designed for any standard perforated tape of 5, 6, 7, or 8 levels. It is available in two models — panel (424) and console (424C). Speed range is for any reading speed up to 60 characters/second. Tape holes are sensed by star wheel actuated contacts which are SPDT configuration. The drive motor requires 105-215V AC 60 cps at 0.4 amperes.

Circle 107 on Reader Service Card.

**8** Model 161 tape verifier is designed to compare two punched paper tapes, bit by bit, and to stop if any differences are found. The tape verifier consists of two model 424 tape readers and a comparison buffer using logic switches. Comparisons are made at a rate of 60 characters/second, except that blanks or delete codes are skipped over at 30 characters/second. Five, six, seven or eight level tape may be compared.

Circle 108 on Reader Service Card.

**9** Model 420 is a self-contained high-speed paper tape perforator. Designed to accept paper tape of varying widths from five level to eight level, the perforator is available in two models: a panel mounted unit designated 420PF if equipped with fanfold tape handling, or 420PR if equipped with reels. Each punch in the perforator has an individual wire clutch which is controlled by a small electro-magnetic actuator.

Circle 109 on Reader Service Card.

## CTI

**10** Tape handling unit model 194, manufactured by California Technical Industries accommodates 1 in. wide tape up to 200 feet in length. It has separate wind and unwind motors, controlled by feeder arms. Tape is fed as needed. Maximum speed is 15 in./second. The tape handling unit is pictured with the tape reader.

Circle 110 on Reader Service Card.

**11** Tape-ard readers read 10 traverse rows of 8-holes each in a perforated tape. The unit can supply 80 bits of information for each event without the use of memory circuits required by single-line readers. The reader accommodates 1 in. tapes with holes on 1/10 in. centers. A verifier panel of neon lamps duplicates the 8 x 10 hole pattern of an entire frame and is used to rapidly check newly punched tapes. To advance the tape to a new frame requires 35 milliseconds.

Circle 111 on Reader Service Card.

**12** CTI also manufactures a tape punch and tape duplicator. Electrically powered, the punch allows the operator to set up an entire 8-hole line on push buttons which illuminate when pressed. The line can be

**10**




**11**




**12**



**13**




**14**



**15**



**16**



**17**



**18**





19



20



21



22



23



26



24




27



25

28



changed or corrected before the command to punch is given. The tape advances when punched, and a counter indicates the number of lines that have been completed. The duplicator automatically reproduces copies of tapes by co-ordinating the punch with the reader. Punching continuously at over 900 lines per minute, the device is extremely useful for making tapes for use at several stations and for quickly editing and revising old tapes.

Circle 112 on Reader Service Card.

## PRECISION SPECIALTIES INC.

**13** This motorized tape punch is operated on a single cycle basis and can be operated at any speed up to 27 cycles/second. The standard punch is supplied with feedholes in line with the code holes. The standard location of the feedhole is .394 in. from the guide edge of the tape. Standard voltage input is 48v DC. Two auxiliary cam actuated contacts are provided as standard equipment. Optional additional equipment includes tape supply, take up, and additional cam actuated contacts.

Circle 113 on Reader Service Card.

## KLEINSCHMIDT

**14** Model 120 is a high-speed typing reperforator and tape transmitter for sending and receiving information in the form of standard tele-printer signals. A tape transmitter, typing reperforator and keyboard transmitter are combined in this unit. In addition to reception and transmission of messages in perforated tape form, the 120 permits tape reproduction, tape editing, tape preparation or manual keyboard transmission.

Circle 114 on Reader Service Card.

**15** Model 144 tape reader is designed to read 5-channel perforated tape. The unit senses perforated tape and translates code combinations into 5-wire parallel electrical impulses. It may be operated at speeds up to 25 characters/second, depending on the frequency of the controlled pulses. This reader may be operated on a character by character "demand" basis or repetitively pulsed to supply a continuous flow of data.

Circle 115 on Reader Service Card.

**16** Model 122 perforator converts information received in the form of simultaneous electrical signals over 5-channels into perforated tape for retransmission or storage. The unit receives simultaneous signals and punches a group of holes according to a 5-unit code at any speed up to 20 operations per second. Punching operations are controlled by positive type clutch.

Circle 116 on Reader Service Card.

**17** Reperforator, Teletypewriter TT-107/FG, TT-108 FG and TT-109/FG are fixed plant, receiving-only typing reperforators designed for the reception and monitoring of messages in communication centers.

Circle 117 on Reader Service Card.

**18** Model 195 is a high-speed typing perforator which punches and prints on 3/8 in. width tape at rates from 60 to 750 wpm. The unit receives either sequential or simultaneous signals in the Baudot code. Transistorized circuits distribute and select internally the signals as received and are also used for complete control of the mechanical punching and printing unit.

Circle 118 on Reader Service Card.



**19** Model 143, a tape reading markable transmitter distributor, consists of tape transporting and tape sensing mechanisms with associated levers and distribution mechanisms for transferring mechanical positions to electrical contacts. Reading action is controlled by magnetic clutches which may be externally activated. Thus the tape reading function and the distributor function may be separately controlled.

Circle 119 on Reader Service Card.

**20** Model 140 is a high-speed tape transmitter for sending information in the form of sequential electrical signals over a pair of wires. This unit incorporates "Semi-Rev" operation which reduces maintenance and increases the sets effective life, according to the manufacturer. It transmits neutral or polar signals.

Circle 120 on Reader Service Card.

## IBM

**21** Type 46 tape-to-card punch and type 47 tape-to-card printing punch read alphabetical or numerical information from a punched paper tape and convert it to cards at the rate of 17 to 20 columns per second. An additional ¼ second is required to feed a new card into punching position. All or part of the information contained in the tape may be punched into the cards.

Circle 121 on Reader Service Card.

**22** Type 63 card-control tape punch reads alphabetic and numerical information contained in punched cards and perforates this information into five channel telegraphic tape. The machine consists of a card reading unit and a tape punching unit. The tape punching unit and all machine operations are governed by control panel wiring.

Circle 122 on Reader Service Card.

**23** Model 382 paper tape reader is an input unit to the RAMAC 305 data processing system that can be used separately or in conjunction with card input. Tape is read at a rate of 20 characters per second.

Circle 123 on Reader Service Card.

## OLIVETTI

**24, 25** Conversion of punched tape to either punched cards or magnetic tape is effected by an electronic reader-converter group, with the converter operating from punched tape to punched cards (CBS - No. 24) or from punched tape to magnetic tape (CBN - No. 25). Reading is by means of dual photodiode reading heads operating alternately to eliminate loss of time. The reading is 800 codes/second. One feature - automatic programming of the widest variety of card layouts, independent of data sequence on tape.

Circle 124 on Reader Service Card.

Circle 125 on Reader Service Card.

**26, 27** This manufacturer's data collecting machines consist of an accounting machine (Audit 722 - No. 26) when the initial document requires simultaneous posting and calculating, and a special typewriter (Audit 930 - No. 27). Both machines are equipped with an automatic tape punch designed as an integral part of them. The design of the machines guarantees complete identity between what is written on the document and what is punched simultaneously on the six-channel tape. No supplementary operation is necessary as the punching instructions are automatic and issue from the program bar.

Circle 126 on Reader Service Card.

Circle 127 on Reader Service Card.

## CLARY

**28** Programmatic Add-Print-Tape Punch equipment is an outgrowth of earlier tape-perforating models. A choice of three types of input is provided plus a tape-perforating unit with plug-in cartridge programming of format and control codes, parity-checking, plug-in diode board, take-up-reel and cable-connection allowing remote location of the punch when silencing is desired. Any five to eight channel code can be punched; and the plug-in diode board permits one punch to prepare tape for different codes and computing equipment. Input units available are 10-key adding machines of eight or 10 column capacity, full-keyboard adding machines of eight or 12 column capacity, and special form-producing devices.

Circle 128 on Reader Service Card.

## MILMAN

### DIGITAL AND MESSAGE READOUTS



### APPLICATIONS

PROCESS CONTROL, PRODUCTION TEST EQUIPMENT, AUTOMATIC SYSTEMS, CONDITION INDICATORS.

DIGITAL COMPUTERS, DISPLAY OF ANY NUMERICAL QUANTITY (TIME, TEMPERATURE, PRESSURE, COUNT, INTERVAL, SPEED, COORDINATES, ETC.).

For further information and prices contact:

**MILMAN ENGINEERING CO.**

1831 Pontius Avenue  
Los Angeles 25, California  
GRanite 3-0616

● Lighted and color coded messages eliminate errors due to misreading of information.

● Superpositioning of one message ahead of the other in the units reduces the panel area required to display information.

● Modular construction allows side by side mounting for in-line presentation of digital or message information.

● Simple panel cutouts and mounting dimensions featured.

● For operation on 6, 12 or 28 volts AC or DC with low current drain.

Circle 22 on Reader Service Card.

## ENGINEERS

### RESEARCH OPPORTUNITIES

Aeronutronic, a new division of Ford Motor Company, has immediate need for computer engineers to staff its new \$22 million Research Center in Newport Beach, Southern California. Here, you have all the advantages of a stimulating environment, working with advanced equipment, located where you can enjoy California living at its finest.

Look into these ground floor opportunities in research and development work that is challenging and exceptionally rewarding to qualified men.

#### Positions now open:

Systems Engineer  
Magnetic Memory Engineers  
Communications Engineers  
Digital Computer Programmers  
Transistorized Circuit Engineers  
Logical Designers  
Circuit Engineers  
Mechanical Engineers  
Optical Engineers

Qualified applicants are invited to send resumes or inquiries to Mr. R. E. Durant, Aeronutronic, Box NH-486, Newport Beach, California.

Visit Aeronutronic's exhibit booth 3822-24 at the WESCON show.

#### Computer Operations

### AERONUTRONIC

a Division of  
Ford Motor Company  
Newport Beach  
Santa Ana • Maywood  
California

Circle 76 on Reader Service Card.

## COMPETITION—IT'S WONDERFUL!

### *middleweight battle first in industry*

In this highly competitive industry of computers and information processing, there has been a complete and somewhat surprising absence of direct machine competition. Before June, 1959, there was never a computing system which could be immediately replaced by another system with anything other than a huge outlay in time, effort and expense.

However, with the announcement that their Univac Solid State computer now has 80-column capabilities, Remington Rand has come up with an impressive first in terms of competition.

RemRandmen make no bones about the fact that they are going after the IBM 650, or, more accurately, the 650 market. And the facts would seem to indicate that this may well be a highly successful invasion.

**ITEM —** The SS-80's 80-column reader and punch provide compatibility with present 80-column installations.

**ITEM —** The SS-80 has the same instruction word format as the 650 and a similar instruction vocabulary.

**ITEM —** SS-80 users may obtain a simulator for the 650 so that present 650 codes can be run with little or no change. A SOAP assembler is to be made available and a 650-to-SS-80 translator is in progress.

It would be surprising if these facts, together with the figures listed below, are not providing some IBMers with thoughtful moments.

#### IBM 650 Model IV

Rental \$5800 per month (including 407 printer and alphabetic device).

4000 words of drum storage

96 microsecond word time

#### Average waiting time for operand

2400 Microseconds

200 cpm card reader (250 or 150 cpm reader optional extra)

100 cpm punch (250 or 155 cpm reader optional extra)

150 lpm printer

Semi-buffered Input/Output

Disk file memory optional extra

Alphabetic Input/Output

Three index registers optional extra

15 kc tape drives optional (up to 6)

67,500 BTU/hour

Direct floating point available.

Control panels on all Input/Output devices.

Circle 129 on Reader Service Card.

#### USS-80

Rental \$6950 per month.

4000 words of drum storage  
1000 words of rapid access storage

17 microsecond word time

425 microseconds for 1000-word memory

450 cpm card reader

150 cpm reader-punch

600 lpm printer

Input/Output buffered to overlap computing

No disk file memory announced

Alphabetic Input/Output standard

Three index registers standard

25 kc tape drives optional (up to 10)

35,000 BTU/hour

Floating point through interpretive programming.

Input/Output control accomplished by internal stored programming.

Circle 130 on Reader Service Card.

## DATAMATION NEWS BRIEFS

### G-E ANNOUNCES TUNNEL DIODE

Computer designer joined the rest of the electronic industry in exhibiting great interest in a G-E announcement, on July 23, that a radically new component has been developed—the tunnel diode.

Dr. Guy Suits, G-E vice president and research director, credited Drs. Jerome J. Tiemann, Robert N. Hall and Henry Ehrenreich (General Electric Research Lab, Schenectady) with adding greatly to scientific understanding of the device. Tunnel diode development was first reported last year by Leo Esaki, a Japanese scientist.

Important properties of the tunnel diode claimed by G-E are extreme speed (from 10 to 100 times faster than the fastest transistor), wide temperature adaptability, low power supply requirements, low noise level, low heat generation, light weight and small size.

The tunnel diode has operated at frequencies higher than 2,000 megacycles and frequencies of more than 10,000 are expected to be achieved in the future. Used as a switch, the diodes respond in a fraction of a millimicrosecond.

Smaller than a transistor, the new component is expected to shrink to a fraction of its present size, ultimately because of its simple structure.

Just now emerging from the experimental stage, the tunnel diode will be made available in developmental work samples in September or October.

Circle 131 on Reader Service Card.

### REPORTS OUT ON PERCEPTRON

Two reports on the Navy's Perceptron, the "discriminating machine" that represents a first attempt toward perfection of an electronic brain, have just been released for sale to the public. The volumes, prepared by Frank Rosenblatt of Cornell Aeronautical Laboratory, Inc., designer of the system, are available from the Office of Technical Services, U.S. Department of Commerce, Washington

# Computer Engineers

## STIMULATING POSITIONS IN ADVANCED RCA PROJECTS ARE OPEN TO MEN WITH ELECTRONIC DATA PROCESSING EXPERIENCE

Inquiries are now invited from EE's, ME's, Physicists and Mathematicians for key positions in RCA's extensive electronic data processing research program.

These positions offer professional responsibility, rapid advancement, and an opportunity to work on highly sophisticated concepts with a company whose name has come to mean progress in electronics.

Current problems under investigation include studies in solid state components, miniaturization, ultra-high-speed circuitry, and high-speed printers.

Long a leader in electronic data handling equipment for military purposes, RCA has now produced the world's most efficient commercial electronic data processing system—the RCA 501. Already, this system has received widespread business acceptance and even more advanced systems are in various stages of development. Here are several projects which are under way:

An ultra-high-speed computing system based on the most advanced techniques of circuitry and equipment organization. Designed for both commercial and scientific applications, it will include high-speed printers and fully electronic bulk storage media.

Development of techniques for a computer with a memory cycle of 10 millimicroseconds.

Autodata—An all transistorized digital system for data message switching and routing. This device will be capable of automatically performing all functions of a switching center.

### FOR INTERVIEW WITH ENGINEERING MANAGEMENT:

Send  
resumé to

Mr. C. B. Gordon  
RCA, Box ZC-116  
Professional Employment  
Bldg. 10-1, Camden, N. J.




**RADIO CORPORATION of AMERICA**  
INDUSTRIAL ELECTRONIC PRODUCTS

Circle 77 on Reader Service Card.



# MAJOR SYSTEMS NEED... COMPUTER & DISPLAY ENGINEERS and PROGRAMMERS



Airborne weather reconnaissance data processing

## IMMEDIATE OPPORTUNITIES FOR WORK ON THESE SYSTEMS

- AIR WEATHER RECONNAISSANCE
- EAGLE MISSILE SYSTEM
- AIR DEFENSE

Challenging opportunities for men experienced in data processing and its related fields exist at the Bendix Systems Division. You will work on major systems vital to national defense in an intellectual environment.

Bendix Systems Division is located in Ann Arbor, Michigan, adjacent to the Graduate Engineering Campus of the University of Michigan. Employees have an opportunity to attend daytime classes and are offered financial assistance. Live and work in a community that combines the pleasant living conditions of a small town with the cultural and educational advantages of a large city.

Write today for our brochure entitled "An Invitation to Better Engineers and Scientists." Bendix Systems Division, Department N8, Ann Arbor, Michigan.

**Bendix Systems Division**

ANN ARBOR, MICHIGAN



Circle 78 on Reader Service Card.

## NEWS BRIEFS

25, D.C. They are, "The Perceptron: A Theory of Statistical Separability in Cognitive Systems," 272 pages, \$4, Order PB 151247, and "Two Theorems of Statistical Separability in the Perceptron," 46 pages, \$1.25, Order PB 151247.

## SIL. TRANSISTOR SALES TO RISE

Silicon transistor sales are expected to increase at a faster rate than overall transistor sales during the next four years, a Hoffman Electronics Corp., market survey indicates. James T. Parry, marketing research manager for the company, predicted in his report that silicon transistors, which accounted for only 5% of all transistors sold in 1957, will represent about 24% of total sales in 1962.

Parry estimated 1962 sales of silicon transistors at 69.6 million units. In most demand for computer purposes are high speed and high frequency switching types, while power, power switching and audio signal types are in most demand for missile applications. Most desired feature for both computer and missile applications is switching performance. Engineers also mentioned low reverse current as being important for computer applications.

## DP TALKS SET FOR WESCON

At the WESCON show, beginning August 18 in the Cow Palace, San Francisco, two of the technical sessions will be devoted to the computing industry. Under the heading Computers 1, (Session 4, August 18, 10:00 am to 12:30 pm, Room D) three papers will be presented: "Transistor Circuit Techniques for a Core Memory with 500 Millimicrosecond Cycle Time," "A Versatile Character Generator with Digital Input," and "An Error Correcting Encoder and Decoder for Phone Line Data." Another three papers will be presented at Computers 2 (Session 9, same date and room, from 2:00 pm to 4:30 pm), entitled "Megacycle Magnetic Rod Logic," "Evaporated Films and Digital Computers," and "BIAX High Speed Magnetic Computer Element."

## PRINTER UPDATES FOR SS

Social Security Administration's Bureau of Old-Age and Survivors Insurance headquarters have put into operation an electronic microfilm printer for updating earnings records of the 130 million people to whom social security cards have been issued. Designed to Social Security's specifications, the printer was built by Special Engineering Products Division of IBM. It converts data coded on magnetic tape directly to printed, readable records on 16 mm microfilm. The machine can print at approximately 3,000 lines a minute, each line containing 120 characters.

Circle 132 on Reader Service Card.

## SCHLUMBERGER LTD. BUYS COMPUTER SYSTEMS STOCK

Schlumberger Ltd. has acquired an 80% stock interest in Computer Systems, Inc. of New York City. Under the stock acquisition plan announced jointly by Pierre Schlumberger, President of Schlumberger, Ltd. and Robert K. Stern, President of Computer Systems, Inc., an amount of over \$3,000,000 will be invested in expanded production facilities, additional personnel and furthering of Computer Systems' research and development program.

## B. S. MATHEMATICIAN

Male or Female

No more than one year  
experience, to do scientific  
computing on IBM-650.

WE WILL TRAIN

Reply to:  
Mr. B. R. DiCaprio  
American Cyanamid Company  
Organic Chemicals Division  
Bound Brook, New Jersey

Circle 80 on Reader Service Card.

Expanding the Frontiers of Space Technology in

## COMPUTER DEVELOPMENT

Lockheed's capability in the design and development of computers is contributing to the advancement of the state of the art. Research in this area includes the development of self-organizing, or adaptive computing systems; the design of new kinds of pattern recognition devices; the development of automatic library systems for the storage and retrieval of information; and the development of high speed input-output devices for digital equipment.

The Automatic Checkout and Readiness Equipment-ACRE-system developed by the Missiles and Space Division combines outstanding performance at the lowest cost in the industry, and has broad applications to a number of projects.

### ENGINEERS AND SCIENTISTS

Lockheed's programs reach far into the future and deal with unknown and challenging environments. If you are experienced in one of the above areas, or in related work, we invite you to share in the progress of a company that has a continual record of achievement, and to make an important individual contribution to your nation's competence in space technology. Write: Research and Development Staff, Dept. H-46, 962 W. El Camino Real, Sunnyvale, California. U.S. citizenship required.

**Lockheed**

### MISSILES AND SPACE DIVISION

SUNNYVALE, PALO ALTO, VAN NUYS, SANTA CRUZ,  
SANTA MARIA, CALIFORNIA • CAPE CANAVERAL, FLORIDA  
ALAMOGORDO, NEW MEXICO • HAWAII

Circle 79 on Reader Service Card.

## MATHEMATICIAN

with graduate study and computer (650)  
experience for opportunity position. Applicants must possess ability to utilize literature on numerical methods in the computer solution of engineering problems.

Matrix algebra, linear differential equations, and statistical analysis involved.


### Chrysler Corporation

Engineering Division  
P. O. Box 1118  
Detroit 31, Michigan

Circle 81 on Reader Service Card.

This is the New

# TALLY



## Tape Preparation & Editing Console

***It makes error-free paper tape***

By automatically verifying and/or duplicating paper tapes. The console consists of a numerical keyboard, two punch tape readers and one tape perforator. The buffer storage system uses unique Tally Logic Switches.

***It features...***

Tape to tape duplication and verification at 60 characters per second

- Keyboard visual display and shift register to eliminate copying errors and operator fatigue in both punching and verifying modes
- Tape corrections without over punching or splicing.

***It's ready for delivery now***

For complete technical information, prices, delivery, and the name of your nearest Tally engineering representative who will be happy to arrange for a demonstration, please address Dept. 808.

# TALLY

REGISTER CORPORATION

5300 14th Avenue N.W., Seattle 7, Wash.


See this Console and other tape handling equipment at WESCON, Booth 119.

Circle 23 on Reader Service Card.


## ADVERTISERS' INDEX

Aeronutronic .....	52
American Cyanamid Co. ....	55
Bendix Computer Div. ....	13
Bendix Systems Div. ....	54
Benson-Lehner Corp. ....	1
Chrysler Corp. ....	55
Computer Control Co. ....	43
Consolidated Systems Corp. ....	11
DATAmatic Division, Minneapolis-Honeywell ....	28, 29
Di/An Controls, Inc. ....	44
John Diebold & Associates, Inc. ....	47
ElectroData Division, Burroughs Corp. ....	Cover 4
Electronic Associates, Inc. ....	12
Ferranti Electric, Inc. ....	42
General Electric Co., Heavy Military Electronics Dept. ....	35
Gerber Scientific Instrument Co. ....	40, 41
Graphic Systems .....	47
International Business Machines Corp. ....	26
ITT Laboratories .....	Cover 3
Liskey Aluminum, Inc. ....	47
Lockheed Missiles & Space Div. ....	47, 55
Magnavox Co., Government & Industrial Div. ....	23
Milman Engineering Co. ....	51
North American Aviation, Inc. ....	46
Packard Bell Electronics. ....	2
Potter Instrument Co., Inc. ....	3
Radio Corporation of America Astro-Electronic Products Div. ....	37
Radio Corporation of America Industrial Electronic Products. ....	53
Royal McBee Corp. ....	17
Space Technology Laboratories, Inc. ....	38
Stromberg-Carlson Div. General Dynamics .....	4
Sylvania Electronic Systems. ....	45
System Development Corp. ....	32
Tally Register Corp. ....	56
Technical Operations, Inc. ....	34
Telecomputing Corp. ....	19
Telemeter Magnetics, Inc. ....	Cover 2
Washington Aluminum Co. ....	56

Specify  
Raised Floors for  
Perfect Performance



Reinforced panels  
eliminate stringers,  
permit total access!



Reinforced, stringer-free aluminum panels permit total access to sub-floor; allow cut-outs anywhere on the panel, even after installation, while retaining maximum strength, minimum deflection. Adjustable pedestals assure perfectly level floor.

WRITE FOR FREE CATALOG

## WASHINGTON ALUMINUM

Company, Inc. • Dept. 378

Baltimore 29, Maryland

Circle 24 on Reader Service Card.



**BUSINESS REPLY MAIL**

No Postage Stamp Necessary If Mailed in the United States

POSTAGE WILL BE PAID BY

**Reader Information Department**

**DATAMATION**


**141 E. 44th St.**

**New York 17, New York**

**FIRST CLASS**

**Permit No. 10194**

**New York, N.Y.**



# DATAMATION

READER SERVICE CARD JULY/AUGUST 1959  
NOT GOOD AFTER OCTOBER 1, 1959

(Please print plainly or type. Show full company name.)

Name \_\_\_\_\_

Title \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

☐ I would like to be added to your list to receive DATAMATION

☐ CHANGE MY ADDRESS  
(Show present connection ABOVE; list FORMER HERE)

Company \_\_\_\_\_

City & State \_\_\_\_\_

## FOR MORE INFORMATION, ADVERTISEMENTS, EDITORIAL ITEMS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21  
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42  
43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63  
100 101 102 103 104 105 106 107 108 109 110 111 112 113 114  
115 116 117 118 119 120 121 122 123 124 125 126 127 128 129  
130 131 132 133 134 135 136 137 138 139 140 141 142 143 144  
145 146 147 148 149 150 151 152 153 154 155 156 157 158 159  
200 201 202 203 204 205 206 207 208 209 210 211 212 213 214  
215 216 217 218 219 220 221 222 223 224 225 226 227 228 229  
230 231 232 233 234 235 236 237 238 239 240 241 242 243 244  
245 246 247 248 249 250 251 252 253 254 255 256 257 258 259  
260 261 262 263 264 265 266 267 268 269 270 271 272 273 274  
275 276 277 278 279 280 281 282 283 284 285 286 287 288 289  
290 291 292 293 294 295 296 297 298 299 300 301 302 303 304

For information on employment ads fill in below:

Name \_\_\_\_\_ 70 75 80 85


Home address \_\_\_\_\_ 72 77 82 87

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_ 73 78 83 88  
74 79 84 89

# ITT Laboratories

announces engineering opportunities in the

## DIGITAL SYSTEMS LABORATORY



ITT Laboratories, the domestic research organization of International Telephone and Telegraph Corporation and long a leader in advanced electronics research and development, has been engaged for some years in digital computer engineering.

The Digital Systems Laboratory is engaged in projects of wide scope and magnitude embracing both commercial and military applications. Research and development centers on high speed, stored program

machines; data switching and control; and commercial data processing applications. These developments incorporate major advances in machine organization and digital techniques. Prominent among the major projects in this Laboratory are the development of a worldwide communication and control system for the U. S. Air Force, and a solid state computer which will handle personal credit for a major New York City bank.

### THE DIGITAL SYSTEMS LABORATORY PROVIDES ENGINEERS CHALLENGING OPPORTUNITIES

#### Digital Communication Systems

- Coding & Decoding Theory & Techniques
- Information Theory
- Data Transmission
- Input/Output Devices & Systems
- Communication Control Computers
- Data Switching Equipment
- High Speed Memories

#### Data Processing Systems

- Commercial Processing Systems
- Systems Application Analysis
- Computer Development
- Core, Tape and Drum Memories
- Logical Design
- Digital Circuit Design
- Transistor Circuit Design


Engineers with experience or capabilities in these areas are invited to investigate employment opportunities at all levels at ITT Laboratories. Write Mr. G. K. Wall, Technical Placement Director.

### ITT Laboratories

A Division of International Telephone and Telegraph Corporation  
500 Washington Avenue, Nutley, New Jersey







## *solving today's problems today: Burroughs 220 Computer*

In scientific computation and business data processing, the new Burroughs 220 is delivering tangible results today. Linking a powerful digital computer to equally powerful input-output subsystems, the 220 offers balanced performance at the lowest application cost. Its expandable core memory, built-in floating decimal arithmetic, vast Datafile magnetic tape capacity and the multiple-card processing ability of Cardatron make this the most powerful system available in the medium price field. The 220 is just one part of a complete line of advanced Burroughs electronic data processing equipment...now in production...now at work in hundreds of installations...supported by an outstanding team of computer specialists. Write today for 220 brochure, ElectroData Division, Pasadena, California.



**Burroughs Corporation**

*"NEW DIMENSIONS/in electronics and data processing systems"*

Circle 25 on Reader Service Card.

